

Sponsoring Organisation:	Implementation Date:	April 2008 (Retrospective)
Department of Health	Subject:	NHS Stop Smoking Services Quarterly Monitoring Return
DATA SET CHANGE NOTICE		
<p>This DSCN informs users of the approval of changes to an Information Standard by the Information Standards Board for Health and Social Care (ISB HaSC).</p> <p>This was approved by ISB HaSC at its meeting on 25 March 2009.</p> <p>The burden of collection has been agreed by the Review of Central Returns Steering Committee (ROCR) – ROCR No: ROCR/OR/0028/008</p>		
Summary:		
<p>This DSCN introduces changes to the NHS Stop Smoking Services Quarterly central return. The changes affect all organisations that provide NHS Stop Smoking Services and the suppliers of operational systems that are intending to support these services. In particular:</p> <ul style="list-style-type: none"> • Provider organisations - NHS Stop Smoking Service advisors who collect the required data from the client and report this to their local NHS Stop Smoking Services data lead who then submit this data to their local Primary Care Trust (PCT); PCT NHS Stop Smoking Leads who aggregate this data and submit it to the NHS Information Centre; • IT system suppliers who will need to adjust their systems and work with providers to modify existing software and validate new reports; and • Analysts and Performance Managers such as Strategic Health Authority (SHA) NHS Stop Smoking Leads who will use the data to monitor performance within their region. The Department of Health will utilise data in order to monitor and improve performance. The NHS Information Centre will need to modify data collection instruments and data storage systems. <p>The revised collection was introduced in April 2008. The changes entail minimal additional burden in data recording.</p> <p>This DSCN is in two parts:</p> <ol style="list-style-type: none"> 1. Part 1 provides detailed policy information needed to implement the change. 2. Part 2 provides the definitional, technical and modelling detail that will be included in the NHS Data Model and Dictionary. 		
Other Data Sets / returns affected:		
None		
Related DSCNs:		
None		
Impact of Change:		
Service:	Minor	System Suppliers: Minor
<p>The Information Standards Board for Health and Social Care (ISB HaSC) is responsible for approving information standards. Submission documents and the ISB HaSC Board output relating to the approval of this standard can be found at:</p> <p>www.isb.nhs.uk/docs/nhs-stop/nhs-stop-1</p>		

DATA SET CHANGE NOTICE

Reference No:	DSCN 05/2009 ROCR/OR/0028/008
Version No:	1.0
Subject:	NHS Stop Smoking Services Quarterly Monitoring Return
Type of Change:	Change to an approved Information Standard
Implementation Date:	1 April 2008 (Retrospective)
Business Justification:	There are strong public health reasons why stop smoking service provision should be monitored at PCT and national level to meet local and national targets and in order to monitor cost effectiveness. The changes to the return will enable monitoring of the use and success of the services for those in different socio-economic groups, success of different treatment models and enable more comparisons across PCTs.

Introduction

The overall aim of the proposed changes is to enhance the NHS Stop Smoking Services Quarterly Monitoring Return form and thereby increase the value of its output for:

- (1) Developing, adapting and refining interventions;
- (2) Monitoring the effectiveness of smoking cessation policies; and
- (3) Better planning and management of services at the local level.

The NHS Stop Smoking Services Quarterly Monitoring Return is typically submitted by PCT based NHS Stop Smoking Service co-ordinators via a web based data collection tool (quarterly monitoring tool) hosted by the NHS Information Centre (IC). Information is collated and analysed by the IC and published via the IC website.

Background

Smoking remains the main cause of preventable morbidity and premature death, accounting for 87,000 deaths a year in England alone. It is the primary reason for the gap in healthy life expectancy between rich and poor. Additionally it is estimated to cost the NHS around £1.5 billion a year to treat illness and disease associated with smoking.

The NHS Quarterly Monitoring Return was established in order to monitor the effectiveness and performance of the service. The old system of monitoring NHS Stop Smoking Services in England is based on quarterly return forms that are submitted to SHA smoking leads by PCTs which is then aggregated at SHA level before being submitted to the NHS Information Centre by the SHA. From 2008/09 this data will be submitted to the Information Centre directly by the PCTs streamlining the delivery process. The 2008/09 data collection instrument can be found at Appendix 1.

Previously, routinely available information for monitoring the performance of NHS Stop Smoking Services was obtained from quarterly monitoring returns collated by SHAs. While these data have had tremendous value for identifying national and regional trends they did not collect data that would enable monitoring success in smoking cessation amongst routine and manual workers. The earlier return was also unable to identify the varying success that the services are having between intervention types and delivery settings. A lack of clarity regarding definitions, data practice and the

cost-efficacy of different approaches has led to wide variations in performance and has made it increasingly difficult to compare performance across the network. The monitoring of Primary Care Trust local delivery plans requires high quality data about clients attending NHS Stop Smoking Services.

Details of Change

The revised collection will be used to collect aggregated data from PCTs on the numbers of service users setting a quit date and numbers successfully quitting. The new quarterly monitoring collection will permit the following breakdowns:

- Number who receive NRT and Champix (Varenicline) consecutively during quit attempt. (An additional option in the pharmacotherapies data currently collected).
- Service users eligible for free NHS Prescriptions.
- Intervention Setting.
- Intervention type.
- Smoking Cessation Economic Grouping.

The following table provides an overview of the new return which is detailed in Appendix 1

Section on Return Form	Information Collected	Information Presented By	New Data Item?
General			
	PCT Code		N
	Contact Name		N
	Contact Phone		N
	Contact E-mail		N
Section 1A			
	Numbers setting a Smoking Quit Date	Ethnic Category and Gender	N
	Numbers of Successful Quitters		
Section 1B			
	Numbers setting a Smoking Quit Date	Age at smoking quit date and gender	N
	Numbers of Successful Quitters	Same as above	N
	Number of Unsuccessful Quitters	Same as above	N
	Setting a Quit Date but result unknown lost to follow up count	Same as above	N
	CO Attempted (Successful Quitters)	Same as above	N
	CO Confirmed (Successful Quitters)	Same as above	N
Section 1C			
	Numbers setting a Smoking Quit Date	Pregnant Quitters	N
	Numbers of Successful Quitters	Same as above	N
	Number of Unsuccessful Quitters	Same as above	N
	Setting a Quit Date but result unknown lost to follow up count	Same as above	N
	CO Attempted (Successful Quitters)	Same as above	N
	CO Confirmed (Successful Quitters)	Same as above	N
Section 1D			
	Numbers setting a Smoking Quit Date	For those eligible for Free Prescriptions	Y
	Number of Successful Quitters		

Section on Return Form	Information Collected	Information Presented By	New Data Item?
Section 1E			
	<p>Numbers setting a Smoking Quit Date</p> <p>Number of Successful Quitters</p>	<p>By Smoking Cessation Economic Grouping. These consist of the following categories.</p> <p>Number of full time students Number who have never worked or been unemployed for over a year Number who have retired Number of sick/disabled and unable to return to work Number of home carers (unpaid) Number in managerial and professional occupations Number in Intermediate occupations Number in Routine and Manual occupations Unable to code</p>	Y
Section 1F			
	<p>Numbers setting a Smoking Quit Date</p> <p>Number of Successful Quitters</p>	<p>Treatment Type used. The following options are available.</p> <p>Number who received NRT Number who received Bupropion Number who received Champix (Varenicline) only Number who received NRT and Bupropion Number who received NRT and Champix (Varenicline) consecutively Number who did not receive NRT nor Bupropion (Zyban) nor Champix (Varenicline) Number where treatment option not known</p>	<p>Y</p> <p>Number who received NRT and Champix (Varenicline) consecutively</p> <p>Will be collected for the first time in 2008/09</p>
Section 1G			
	<p>Numbers setting a Smoking Quit Date</p> <p>Number of Successful Quitters</p>	<p>By the type of Intervention Used. This can be one of the following categories.</p> <p>Closed groups Drop in clinics One to ones Family/couples group Telephone support Open groups Other 1 Other 2 Other 3</p>	Y
Section 1H			
	<p>Numbers setting a Smoking Quit Date</p> <p>Number of Successful Quitters</p>	<p>Intervention Setting (Location used). This can be one of the following categories.</p> <p>SSS setting Pharmacy setting Prison setting Primary care setting Hospital ward setting Dental practice setting</p>	Y

Section on Return Form	Information Collected	Information Presented By	New Data Item?
		Military base setting Other 1 Other 2 Other 3	
Section 2A			
	PCT Allocation		N
	Other Monies		N
Section 2B			
	Cumulative Spend		N

Impact

The implications for key stakeholders are as follows:

Smokers: Will be required to provide additional data regarding occupational status and eligibility for free prescriptions.

Stop Smoking Service Advisors: Will be required to ask and record data on client occupational status, eligibility for free prescriptions and will additionally have to record intervention setting and type.

Stop Smoking Service Leads: Will be required to perform the exception reporting procedure in instances when this is required.

Primary Care Trusts: Improved data quality/frequency. Ability to assess service performance by intervention type and setting (thus informing service development and dialogue with commissioners).

Strategic Health Authorities: Improved data quality/frequency and opportunities to enhance strategic service development in partnership with PCTs. Comparability of service results across SHA areas.

Department of Health: Collection of occupational data will enable the routine and manual group target population to be monitored. The introduction of the exception reporting mechanism will improve data quality addressing the concerns raised by the Healthcare Commission report.

The additional data items required will add approximately 2 minutes per client to the data currently being collected by stop smoking services advisors. It is also estimated that it will take an additional one minute per record when paper based returns are being entered onto NHS Stop Smoking Services computer systems

Resources Required

The changes outlined to the collection will not require any large additional resources to be utilised by the parties involved but rather have been made to be easily incorporated with existing processes and mechanisms. The current minimum level of resources required in the collection is outlined below.

Stop Smoking Service advisors require at a minimum the use of a paper based version of the gold standard monitoring form (see Appendix 2) to record client's details to then be submitted to their local NHS Stop Smoking Service. NHS Stop Smoking Services will require PC access in order to manually enter these paper based returns onto their computer systems and then submit this information electronically to their local Primary Care Trust (PCT) as locally agreed. PCTs will require access to a PC with Microsoft Excel 2007 in order to populate the quarterly monitoring return form as seen at Appendix 1. They will also require internet access in order to send this submission to the NHS Information Centre.

The submission schedule for 2008/09 and 2009/10 is:

Quarter	Submission date
April to June 2008 (Q1)	09/09/08
July to Sept 2008 (Q2)	10/12/08
Oct to Dec 2008 (Q3)	12/03/09
Jan to March 2009 (Q4)	17/06/09
April to June 2009 (Q1)	09/09/09
July to Sept 2009 (Q2)	10/12/09
Oct to Dec 2009 (Q3)	12/03/10
Jan to March 2010 (Q4)	17/06/10

Timescales for Implementation / Change

FRAMEWORK		NHS Stop Smoking Services Personnel	PCT Organisations ¹	IT Suppliers ²
Effective Date ³ "may use"		01/04/2008	01/04/2008	01/04/2008
Implementation Date ⁴ "must use"	Collection Start Date ⁵	01/04/2008	12/08/2008	01/04/2008
	First Submission Date ⁶	12/08/2008	09/09/2008	12/08/2008
	Reporting Period / Submission Cycle ⁷	Quarterly (See timetable below)	Quarterly (See timetable below)	Quarterly (See timetable below)
Conformance Date ⁸ "must be used effectively and assessed for use"		01/04/2008	01/04/2008	01/04/2008
Superseded Date (of prior standard) ⁹ "stop using prior standard"		01/04/2008	01/04/2008	01/04/2008

Future direction of the standard

The Department of Health is committed to the ongoing improvement and development of this standard. Whilst out of scope for this current change a commitment has been made to establish a National Centre for Smoking Cessation Training. The remit of the centre will include development and training on all aspects of treatment delivery and data management. In conjunction with the establishment of the National Centre, work has begun looking at the feasibility of developing a real time electronic referral system for use by the NHS SSS with a view to establishing a fully integrated NHS SSS support system in use by the services in the next five years.

Effects on Other Information Standards

None

Sponsor Details

Andrew Black,
Action Programme Manager,
Tobacco Policy
Department of Health

Further Information and Support

Lifestyles Statistics Team
Information Centre for Health and Social Care
Trevelyan Square
Leeds, LS1 6AE
lifestyles@ic.nhs.uk
Tel: 0113 254 7201

Notes:

1. Relevant organisations are those organisations as defined in the standard who must take direct action to implement the standard.
2. IT Suppliers are all suppliers to the organisations listed at ¹ who supply functionality pertinent to that standard.
3. **Effective Date** is the date from which a new standard can be used but may not be mandatory. This might facilitate piloting, for example, or enable time for system functionality development. At this point, ***you “may use” the standard.***
4. **Implementation Date** is the point from which the new standard becomes mandatory. Ideally, it inherently implies organisations use appropriate systems i.e. the date is the same for organisations and suppliers. However, there maybe circumstances where interim workarounds are required i.e. the date is different for organisations and suppliers. At this date, ***you “must use” the standard.*** Where the standard demands data is submitted centrally, sub components of implementation date (and possibly ‘effective date’) are:
 5. **Collection Start Date** – this is the date collection of data must begin
 6. **First Submission Date** – this is the date of first submission of data centrally
 7. **Reporting Period / Submission Cycle** – If the standard calls for further collection and submission at defined intervals, this cell provides text of the reporting period (e.g. calendar month, financial year) and the submission cycle (e.g. submit data monthly on the 10th working day of the subsequent month).
8. **Conformance Date** is the date from which the service and IT system suppliers must use the standard as envisaged i.e. using appropriate IT solutions rather than interim workarounds and, if the standard requires it, an independent, authoritative body or legitimate internal audit would conduct a conformity assessment with the expectation of full conformance by all relevant parties. It is the ***“must use standard effectively and assessed for use”*** date.
9. **Superseded Date** of the prior standard sets the date at which the prior standard is replaced by the new standard i.e. the prior standard must no longer be used. This date will apply only where there was a pre-existing standard made redundant by the new standard. It might be different from preceding dates in the framework if, for example, a new and old standard run in parallel for a period. It is the date from which you ***“stop using the prior standard”***.

Appendix 1 – Stop Smoking Service Quarterly Monitoring Return 2008/09

ROCR ref: ROCR/OR/0028/008

The Information Centre:

Stop Smoking Services Quarterly Monitoring Return 2008/09

This quarterly return should be completed for each Primary Care Trust. The returns should be completed on a responsible PCT basis (see note on the basis for data collection below). It is important that this return is submitted to The Information Centre within the deadline specified.

This return has been approved by the Review of Central Returns Steering Committee (ROCR).

The basis for data collection

Data should normally be collected on a responsible PCT basis. This should be determined by the PCT to which a client's GP practice belongs. If a client is not registered with a GP, then the collection should be on the basis of the PCT in which the client resides.

The only exception to this general rule is where clients receive a cessation service at or near their workplace, which may be some distance from their home. For example, a cessation service might be provided for commuters at their workplace in a large city. In such circumstances it is likely that clients will be drawn from a range of places in the surrounding area e.g. commuters to London who live all around the south-east of England.

Where a service is judged to meet these criteria, the pragmatic solution to monitoring this activity is that the PCT providing (and often paying for) the service should include these clients in their monitoring returns. Such activity will therefore count towards their local targets. We would expect local target-setting to take this factor into account as far as possible.

Further information on the NHS smoking cessation services programme and the monitoring scheme can be found from:

http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_079644

Quarter to which this return relates

1 April to 30 June 2008	<input checked="" type="checkbox"/>	1 October to 31 December 2008	<input type="checkbox"/>
1 July to 30 September 2008	<input type="checkbox"/>	1 January to 31 March 2009	<input type="checkbox"/>

Primary Care Trust

Name of coordinator

Telephone

Fax

E-mail address

If you have any queries regarding this form please contact

Lily Bond

The Information Centre for health and social care, 2 South

1 Trevelyan Square, Boar Lane, Leeds LS1 6AE

Telephone: 0113 2547 013

Fax: 0113 2547165

E-mail: surveyteam@ic.nhs.uk

NOTES FOR COMPLETION:

1. Cells which initially display a zero, contain formula to calculate totals automatically: these cells are locked and should NOT be overwritten

2. Scroll to the right of the return to see the validation checks. If a figure you have entered does not validate successfully you will see a warning: Check!..... Please check the figures in the cells referred to in the warnings. Please note that the validation here only includes basic checks (eg. total persons equalling sum of males and females). More detailed validation, from which additional queries may be raised, will be carried out centrally.

3. Total figures in section 1 parts B,E,F,G and H should match the corresponding total figure displayed in section 1A.

4. Pregnant women should be included in all sections of the form, only being separately identified in section 1C.

5. If a person sets more than one quit date in the quarter, then the person should be included only once in the return using details of the latest quit attempt

6. The criteria for a successful quit attempt can be found in the latest NHS Stop Smoking service and monitoring guidance

Part 1 - Summary data for individual clients

Part 1A Number of people setting a quit date and successful quitters by ethnic category and gender

	(1)	(2)	(3)	(4)	(5)	(6)
Ethnic category and gender	Males setting a quit date	Females setting a quit date	Total persons setting a quit date	Males successfully quit	Females successfully quit	Total persons successfully quit
a White						
01 British			0			0
02 Irish			0			0
03 Any other White background			0			0
04 Sub-total	0	0	0	0	0	0
b Mixed						
05 White and Black Caribbean			0			0
06 White and Black African			0			0
07 White and Asian			0			0
08 Any other mixed background			0			0
09 Sub-total	0	0	0	0	0	0
c Asian or Asian British						
10 Indian			0			0
11 Pakistani			0			0
12 Bangladeshi			0			0
13 Any other Asian background			0			0
14 Sub-total	0	0	0	0	0	0
d Black or Black British						
15 Caribbean			0			0
16 African			0			0
17 Any other Black background			0			0
18 Sub-total	0	0	0	0	0	0
e Other ethnic groups						
19 Chinese			0			0
20 Any other ethnic group			0			0
21 Sub-total	0	0	0	0	0	0
f Not Stated						
22 Not Stated			0	0	0	0
23 Total	0	0	0	0	0	0

Notes:

1. In 2008/09 ethnic category must be collected using the 16+1 categories.

Part 1B: Number of people setting a quit date by age and gender and outcome at 4 week follow-up

	(7)	(8)	(9)	(10)	(11)	(12)
	All ages	Under 18	18-34	35-44	45-59	60 and over

Males

31	Total number setting a quit date in the quarter	0	0	0	0	0
32	Number who had successfully quit (self-report)	0				
33	Number who had not quit (self-report)	0				
34	Number not known/lost to follow-up	0				

35	Number who had successfully quit (self-report), where confirmation of non-smoking status by CO validation was attempted	0				
36	Number who had successfully quit (self-report), where non-smoking status confirmed by CO validation	0				

	(13)	(14)	(15)	(16)	(17)	(18)
	All ages	Under 18	18-34	35-44	45-59	60 and over

Females

37	Total number setting a quit date in the quarter	0	0	0	0	0
38	Number who had successfully quit (self-report)	0				
39	Number who had not quit (self-report)	0				
40	Number not known/lost to follow-up	0				

41	Number who had successfully quit (self-report), where confirmation of non-smoking status by CO validation was attempted	0				
42	Number who had successfully quit (self-report), where non-smoking status confirmed by CO validation	0				

Notes:

1. Age group should be based on age at quit date.
2. Number not known/lost to follow-up should include all clients whom it has not been possible successfully to follow-up during the period four to six weeks from the quit date.
3. "Confirmed by CO validation" means a CO reading of less than 10 ppm.

Part 1C: Number of pregnant women setting a quit date and outcome at 4 week follow-up

(19)		
Number		
43	Total number setting a quit date in the quarter	0
44	Number who had successfully quit (self-report)	
45	Number who had not quit (self-report)	
46	Number not known/lost to follow-up	
47	Number who had successfully quit (self-report), where confirmation of non-smoking status by CO validation was attempted	
48	Number who had successfully quit (self-report), where non-smoking status confirmed by CO validation	

Notes:

1. This table should include all women who are pregnant at the time of the quit date.
2. Number not known/lost to follow-up should include all clients whom it has not been possible successfully to follow-up during the period four to six weeks from the quit date.
3. "Confirmed by CO validation" means a CO reading of less than 10 ppm.

Part 1D Number of people setting a quit date and successful quitters receiving free prescriptions

		(20)	(21)
		Number setting a quit date	Number successfully quit
49	Number eligible who received free prescriptions		

Part 1E: Number of people setting a quit date and successful quitters by socio-economic classification

		(22)	(23)
		Number setting a quit date	Number successfully quit
50	Number of full time students		
51	Number who have never worked or unemployed for over 1 year		
52	Number who have retired		
53	Number sick/disabled and unable to return to work		
54	Number of home carers (unpaid) ¹		
55	Number in managerial and professional occupations ²		
56	Number in Intermediate occupations ³		
57	Number in Routine and manual occupations ⁴		
58	Unable to code		
59	Total number of people setting a quit date and successful quitters during the quarter	0	0

Notes:

1. Number of home carers - i.e. looking after children, family or home.
2. Managerial and professional occupations, examples include: Accountant, artist, civil/mechanical engineer, medical practitioner, musician, nurse, police officer (sergeant or above), physiotherapist, scientist, social worker, software engineer, solicitor, teacher, welfare officer. Those usually responsible for planning, organising and co-ordinating work for finance.
3. Intermediate occupations, examples include: Call centre agent, clerical worker, nursery auxiliary, office clerk, secretary.
4. Routine and Manual occupations, examples include: Electrician, fitter, gardener, inspector, plumber, printer, train driver, tool maker, bar staff, caretaker, catering assistant, cleaner, farm worker, HGV driver, labourer, machine operative, messenger, packer, porter, postal worker, receptionist, sales assistant, security guard, sewing machinist, van driver, waiter/waitress.

Part 1F: Number of people setting a quit date and successful quitters by pharmacotherapy treatment received

	(24) Number setting a quit date	(25) Number successfully quit
60	Number who received NRT only	
61	Number who received bupropion (Zyban) only	
62	Number who received Champix (varenicline) only	
63	Number who received both NRT and bupropion (Zyban) either concurrently or consecutively	
64	Number who received NRT and Champix (Varenicline) consecutively	
65	Number who did not receive NRT or bupropion (Zyban) or Champix (varenicline)	
66	Number where treatment option not known	
67	Total number of people setting a quit date and successful quitters during the quarter	0

Notes:

1. 'Received' means obtained by prescription, purchase or supply free of charge.
2. If a client is lost to follow-up at 4 weeks and it is not known if they received NRT and/or bupropion (Zyban), or Champix (varenicline) then they should be included at "Number where treatment option not known".

Part 1G: Number of people setting a quit date and successful quitters by intervention type

		(26)	(27)	(28)	
		Number setting a quit date	Number successfully quit	Reason for exception	Please tick box when validation has been conducted
68	Number who attended closed groups (Structured, multi-session group courses with pre-arranged start and finish dates and a pre booked client group)				<input type="checkbox"/>
69	Number who attended open groups (sometimes called rolling groups) that have fluctuating membership and are ongoing				<input type="checkbox"/>
70	Number who attended drop-in clinics (multi-session support)				<input type="checkbox"/>
71	Number who attended one to ones (structured, multi-session support)				<input type="checkbox"/>
72	Number who attended family/ couples groups (structured, multi-session support for small family groups or couples)				<input type="checkbox"/>
73	Number dealt with through telephone support sessions				<input type="checkbox"/>
Other (please describe)					
74					<input type="checkbox"/>
75					<input type="checkbox"/>
76					<input type="checkbox"/>
77	Total number of people setting a quit date and successful quitters during the quarter	0	0		

Notes:

1. If there is an intervention type that is not on the list, please fill in the blank box.
2. If the success rate of the intervention setting is 35% or below, or 70% and above please give a reason in the exception reporting box.

Part 1H: Number of people setting a quit date and successful quitters by intervention setting

		(29)	(30)	(31)	
		Number setting a quit date	Number successfully quit	Reason for exception	Please tick box when validation has been conducted
78	Number using Stop Smoking Services setting				<input type="checkbox"/>
79	Number using pharmacy setting				<input type="checkbox"/>
80	Number using prison setting				<input type="checkbox"/>
81	Number using primary care setting				<input type="checkbox"/>
82	Number using hospital ward setting				<input type="checkbox"/>
83	Number using dental practice setting				<input type="checkbox"/>
84	Number using military base setting				<input type="checkbox"/>
Other (please describe)					
85					<input type="checkbox"/>
86					<input type="checkbox"/>
87					<input type="checkbox"/>
88	Total number of people setting a quit date and successful quitters during the quarter	0	0		

Notes:

1. If there is an intervention setting that is not on the list, please fill in the blank box.
2. If the success rate of the intervention setting is 35% or below, or 70% and above please give a reason in the exception reporting box.

Part 2: Summary financial information on smoking cessation services

Part 2A: Financial allocations for year

(32)

Type of allocation	£
89 PCT allocation for smoking cessation for year	
90 Other monies allocated to smoking cessation, including any underspend carried over from the previous year	
91 Total allocation	£ -

Part 2B: Cumulative total spend on smoking cessation services in the year up to the end of the quarter (£)

(33)

92

Notes:

1. Parts 2A and 2B should include all monies from whatever source which have been specifically allocated to, or spent on, smoking cessation services e.g. additional funding such as Neighbourhood Renewal Funding.
2. Figures should be to the nearest pound.

Appendix 2 – Department of Health - Gold Standard Monitoring Form

GOLD STANDARD MONITORING FORM



(INSERT SERVICE NAME & ADDRESS) STOP SMOKING SERVICE

Note: All patient data will be kept securely and in accordance with Caldicott guidelines. Information can only be passed to another healthcare professional if this contributes to the provision of effective care.

ADVISER DETAILS			
Department/Ward		Location/setting	
Name		Venue	
Contact Tel. No.		Adviser code/ref	

CLIENT DETAILS					
Surname		First Name	Mr/Mrs/Ms/Other		
Address					
Postcode		NHS ID. No.			
Daytime tel no.		Mobile no.			
Alternative contact number (friend/relative)					
Date of Birth		Age (in years)		Gender	Male / Female
Exempt from prescription charge		Y / N			
Pregnant	Y / N	Breast feeding	Y / N		

ETHNIC GROUP: (please tick relevant group)					
a] White British	<input type="checkbox"/>	b] Mixed White and Black Caribbean	<input type="checkbox"/>	c] Asian or Asian British Indian	<input type="checkbox"/>
Irish	<input type="checkbox"/>	White and Black African	<input type="checkbox"/>	Pakistani	<input type="checkbox"/>
Other white background	<input type="checkbox"/>	White and Asian	<input type="checkbox"/>	Bangladeshi	<input type="checkbox"/>
		Other mixed groups	<input type="checkbox"/>	Other Asian background	<input type="checkbox"/>
a] Black or Black British Caribbean	<input type="checkbox"/>	e] Other ethnic groups Chinese	<input type="checkbox"/>	f] Other Not stated	<input type="checkbox"/>
African	<input type="checkbox"/>	Other ethnic group	<input type="checkbox"/>		
Other black background	<input type="checkbox"/>				

HOW CLIENT HEARD ABOUT THE SERVICE (please tick relevant box)			
GP	<input type="checkbox"/>	Friend/relative	<input type="checkbox"/>
Other health professional	<input type="checkbox"/>	Advertising	<input type="checkbox"/>
		Pharmacy	<input type="checkbox"/>
		Other (specify)	<input type="checkbox"/>

Agreed quit date		Date of last tobacco use		Date of 4 wk follow-up	
------------------	--	--------------------------	--	------------------------	--

TYPE OF INTERVENTION DELIVERED: (please tick all relevant boxes)			
Closed group	<input type="checkbox"/>	Telephone support	<input type="checkbox"/>
Open (rolling) group	<input type="checkbox"/>	Couple/family	<input type="checkbox"/>
One to one support	<input type="checkbox"/>	Drop-in clinic	<input type="checkbox"/>
		Other (specify)	<input type="checkbox"/>

TYPE OF PHARMACOLOGICAL SUPPORT USED: (please tick all relevant boxes. Use 1 or 2 to indicate consecutive use of more than one medication – e.g. Champix followed by NRT product)					
None	<input type="checkbox"/>	Zyban	<input type="checkbox"/>	NRT – Gum	<input type="checkbox"/>
NRT – Lozenge	<input type="checkbox"/>	NRT – Inhalator	<input type="checkbox"/>	NRT – Patch	<input type="checkbox"/>
NRT – Microtab	<input type="checkbox"/>	NRT – Spray	<input type="checkbox"/>	Champix	<input type="checkbox"/>

TREATMENT OUTCOME					
Quit CO verified	<input type="checkbox"/>	Quit self report	<input type="checkbox"/>	Not Quit	<input type="checkbox"/>
		Lost to follow up	<input type="checkbox"/>		<input type="checkbox"/>
Adviser signature:			Client signature (indicating consent to treatment and follow-up and pass on of outcome data to GP)		

Change Request

NHS Connecting for Health

NHS Data Model and Dictionary Service

Reference: Change Request 914
Version No: 0.37
Subject: Stop Smoking Data Set
Effective Date: 1 April 2008
Reason for Change: Introduction of Stop Smoking Data Set
Publication Date: 13 February 2009

Background:

Smoking is one of the most significant contributing factors to life expectancy, health inequalities and ill health, particularly cancer and coronary heart disease. Therefore reducing smoking is a key improvement area within the NHS.

The January 2007 report on Tobacco Control, "No ifs and buts", highlighted that, whilst most local stop smoking services make a very positive contribution and provide excellent services for people who want to stop smoking, there are unacceptable levels of variation in data collection and data management practices, thus making it difficult to assess performance and compare services meaningfully.

In addition to this, the Operating Framework 2008/2009 set out a new approach to managing priorities both nationally and locally - the 'vital signs'. The Department of Health has put in place a new national vital signs indicator for the NHS smoking prevalence among people aged 16 or over and, aged 16 or over in routine and manual socio-economic groups.

The current quarterly collection has been updated as a data set to be collected at Primary Care Trust and aggregated to Strategic Health Authority level.

This paper provides data standards to support the quarterly Central Return Data Set.

Summary of changes:

Data Set

[STOP SMOKING SERVICES QUARTERLY DATA SET](#)

New Data Set

Supporting Information

[CENTRAL RETURN DATA SETS MENU](#)

Changed Description

[PERSON SMOKING CESSATION EPISODE \(RETIRED\)](#) renamed from [PERSON SMOKING CESSATION EPISODE](#)

Changed Name, status to Retired, Description

[QUIT DATE \(RETIRED\)](#) renamed from [QUIT DATE](#)

Changed Name, status to Retired

[STOP SMOKING SERVICE](#) renamed from [SMOKING CESSATION SERVICE](#)

Changed Name, Aliases, Description

[STOP SMOKING SERVICE QUARTERLY DATA SET OVERVIEW](#)

New Supporting Information

Class Definitions

[ACTIVITY GROUP](#)

Changed Description, Attributes

[CLINICAL INTERVENTION](#)

Changed Attributes

[CURRENCY](#)

Changed Relationships

[PERSON PROPERTY](#)

Changed Attributes

[PERSON STOP SMOKING EPISODE](#)

New Class

[SERVICE](#)

Changed Description

[SERVICE FINANCIAL ALLOCATION](#)

New Class

SOCIO-ECONOMIC CLASSIFICATION

New Class

Attribute Definitions

[ACTIVITY DATE TIME TYPE](#)

Changed Description

[ACTIVITY GROUP TYPE](#)

Changed Description

[FINANCIAL ALLOCATION OR SPEND TYPE](#)

New Attribute

[FINANCIAL AMOUNT](#)

New Attribute

[FREE PRESCRIPTIONS INDICATOR](#)

New Attribute

[INTERVENTION SESSION TYPE](#)

New Attribute

[INTERVENTION SETTING](#)

New Attribute

[NON SMOKING CONFIRMATION STATUS AT 4 WEEKS](#) renamed from [NON SMOKING CONFIRMED AT 4 WEEKS](#)

Changed Name, Aliases, Description

[NON SMOKING CONFIRMED AT 52 WEEKS \(RETIRED\)](#) renamed from [NON SMOKING CONFIRMED AT 52 WEEKS](#)

Changed Name, status to Retired

[OUTCOME AT 4 WEEK FOLLOW-UP](#)

Changed Description

[OUTCOME AT 52 WEEK FOLLOW-UP \(RETIRED\)](#) renamed from [OUTCOME AT 52 WEEK FOLLOW-UP](#)

Changed Name, status to Retired

[PHARMACOTHERAPY STOP SMOKING AID RECEIVED](#)

New Attribute

[SMOKING QUIT DATE](#)

New Attribute

[SOCIO-ECONOMIC CLASSIFICATION CODE](#)

New Attribute

Data Elements

[AGE BAND AT SMOKING QUIT DATE](#)

New Data Element

[AMOUNT STERLING](#)

Changed linked Attribute

[INTERVENTION SESSION TYPE \(STOP SMOKING\)](#)

New Data Element

[INTERVENTION SETTING \(STOP SMOKING\)](#)

New Data Element

[ORGANISATION CODE \(STOP SMOKING SERVICE PROVIDER\)](#)

New Data Element

[PHARMACOTHERAPY STOP SMOKING AID RECEIVED](#)

New Data Element

[SOCIO-ECONOMIC CLASSIFICATION CODE \(STOP SMOKING\)](#)

New Data Element

[STOP SMOKING EXCEPTION VALIDATION INDICATOR](#)

New Data Element

[STOP SMOKING INTERVENTION SETTING REASON FOR EXCEPTION](#)

New Data Element

[STOP SMOKING INTERVENTION TYPE REASON FOR EXCEPTION](#)

New Data Element

[STOP SMOKING LOST TO FOLLOW-UP COUNT \(AGE AND GENDER\)](#)

New Data Element

[STOP SMOKING LOST TO FOLLOW-UP COUNT \(PREGNANT WOMEN\)](#)

New Data Element

[STOP SMOKING NOT QUIT AT 4 WEEKS COUNT \(AGE AND GENDER\)](#)

New Data Element

[STOP SMOKING NOT QUIT AT 4 WEEKS COUNT \(PREGNANT WOMEN\)](#)

New Data Element

[STOP SMOKING QUIT CONFIRMED COUNT \(AGE AND GENDER\)](#)

New Data Element

[STOP SMOKING QUIT CONFIRMED COUNT \(PREGNANT WOMEN\)](#)

New Data Element

[STOP SMOKING SERVICE CUMULATIVE TOTAL SPEND](#)

New Data Element

[STOP SMOKING SERVICE OTHER FINANCIAL ALLOCATION](#)

New Data Element

[STOP SMOKING SERVICE PCT FINANCIAL ALLOCATION](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(AGE AND GENDER\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(AID\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(ETHNIC CATEGORY AND GENDER\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(FREE PRESCRIPTION\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(INTERVENTION SETTING\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(INTERVENTION TYPE\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(PREGNANT WOMEN\)](#)

New Data Element

[STOP SMOKING SETTING QUIT DATE COUNT \(SOCIO ECONOMIC CLASSIFICATION\)](#)

New Data Element

[STOP SMOKING SUCCESSFULLY QUIT COUNT \(AGE AND GENDER\)](#)

New Data Element

[STOP SMOKING SUCCESSFULLY QUIT COUNT \(AID\)](#)

New Data Element

[STOP SMOKING SUCCESSFULLY QUIT COUNT \(ETHNIC CATEGORY AND GENDER\)](#)

New Data Element

[STOP SMOKING SUCCESSFULLY QUIT COUNT \(FREE PRESCRIPTION\)](#)

New Data Element

STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION SETTING)	New Data Element
STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION TYPE)	New Data Element
STOP SMOKING SUCCESSFULLY QUIT COUNT (PREGNANT WOMEN)	New Data Element
STOP SMOKING SUCCESSFULLY QUIT COUNT (SOCIO ECONOMIC CLASSIFICATION)	New Data Element

Packages

O	New Package
P	New Package
Q	New Package

Date: 13 February 2009
Sponsor: Nicola Willis, NPD-Tobacco, Department of Health

Note: New text is shown with a blue background. Deleted text is crossed out. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

STOP SMOKING SERVICES QUARTERLY DATA SET

Change to Data Set: New Data Set

[Stop Smoking Service Quarterly Data Set Overview](#)

Data Set Data Elements
Organisation and Reporting Period
REPORTING PERIOD START DATE
REPORTING PERIOD END DATE
ORGANISATION CODE (STOP SMOKING SERVICE PROVIDER)
Part 1 - Summary data for individual people
Part 1A - Number of people setting a smoking quit date and number who have successfully quit by ethnic category and gender. This group will be repeated for each ethnic category and gender.
ETHNIC CATEGORY
PERSON GENDER CURRENT
STOP SMOKING SETTING QUIT DATE COUNT (ETHNIC CATEGORY AND GENDER)
STOP SMOKING SUCCESSFULLY QUIT COUNT (ETHNIC CATEGORY AND GENDER)
Part 1B - Number of people setting a smoking quit date and the number who have successfully quit by age and gender and outcome. This group will be repeated for each age band and gender.
AGE BAND AT SMOKING QUIT DATE
PERSON GENDER CURRENT
STOP SMOKING SETTING QUIT DATE COUNT (AGE AND GENDER)
STOP SMOKING SUCCESSFULLY QUIT COUNT (AGE AND GENDER)
STOP SMOKING NOT QUIT AT 4 WEEKS COUNT (AGE AND GENDER)
STOP SMOKING LOST TO FOLLOW-UP COUNT (AGE AND GENDER)
STOP SMOKING QUIT CONFIRMED COUNT (AGE AND GENDER)
Part 1C - Number of pregnant women setting a smoking quit date and the number of those who have successfully quit. One occurrence of this group is permitted.

STOP SMOKING SETTING QUIT DATE COUNT (PREGNANT WOMEN)

STOP SMOKING SUCCESSFULLY QUIT COUNT (PREGNANT WOMEN)

STOP SMOKING NOT QUIT AT 4 WEEKS COUNT (PREGNANT WOMEN)

STOP SMOKING LOST TO FOLLOW-UP COUNT (PREGNANT WOMEN)

STOP SMOKING QUIT CONFIRMED COUNT (PREGNANT WOMEN)

**Part 1D - Number of people who are entitled to receive free prescriptions setting a smoking quit date and the number of those who have successfully quit.
One occurrence of this group is permitted.**

STOP SMOKING SETTING QUIT DATE COUNT (FREE PRESCRIPTION)

STOP SMOKING SUCCESSFULLY QUIT COUNT (FREE PRESCRIPTION)

**Part 1E - Number of people of a particular socio-economic classification setting a smoking quit date and the number of those who have successfully quit.
This group will be repeated for each socio-economic classification.**

SOCIO-ECONOMIC CLASSIFICATION CODE (STOP SMOKING)

STOP SMOKING SETTING QUIT DATE COUNT (SOCIO ECONOMIC CLASSIFICATION)

STOP SMOKING SUCCESSFULLY QUIT COUNT (SOCIO ECONOMIC CLASSIFICATION)

**Part 1F - Number of people setting a smoking quit date and the number of those who have successfully quit by pharmacotherapy stop smoking aid received.
This group will be repeated for each pharmacotherapy stop smoking aid received.**

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

STOP SMOKING SETTING QUIT DATE COUNT (AID)

STOP SMOKING SUCCESSFULLY QUIT COUNT (AID)

**Part 1G - Number of people setting a smoking quit date and number who have successfully quit by intervention type used.
This group will be repeated for each intervention type.**

INTERVENTION SESSION TYPE (STOP SMOKING)

STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION TYPE)

STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION TYPE)

STOP SMOKING INTERVENTION TYPE REASON FOR EXCEPTION

STOP SMOKING EXCEPTION VALIDATION INDICATOR

**Part 1H - Number of people setting a smoking quit date and number who have successfully quit by intervention setting used.
This group will be repeated for each intervention setting.**

INTERVENTION SETTING (STOP SMOKING)

STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION SETTING)

STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION SETTING)

STOP SMOKING INTERVENTION SETTING REASON FOR EXCEPTION

STOP SMOKING EXCEPTION VALIDATION INDICATOR

**Part 2a - Financial allocations for the year.
One occurrence of this group is permitted.**

STOP SMOKING SERVICE PCT FINANCIAL ALLOCATION

STOP SMOKING SERVICE OTHER FINANCIAL ALLOCATION

**Part 2b - Cumulative total spend on Stop Smoking Service for the year up to the REPORTING PERIOD END DATE.
One occurrence of this group is permitted.**

STOP SMOKING SERVICE CUMULATIVE TOTAL SPEND

CENTRAL RETURN DATA SETS MENU

Change to Supporting Information: Changed Description

- [Accident and Emergency Quarterly Monitoring Data Set \(QMAE\)](#)
- [Admitted Patient Flows Data Set](#)
- [Admitted Patient Stocks Data Set](#)
- [Bookings Admitted Patient And Out-Patient Provider Data Set](#)
- [Choose And Book Utilisation Commissioner Data Set](#)
- [Diagnostics Waiting Times and Activity Data Set](#)
- [Diagnostics Waiting Times Census Data Set](#)
- [Genitourinary Medicine Access Monthly Monitoring Data Set](#)
- [HPV Immunisation Programme Vaccine Monitoring Annual Minimum Data Set](#)
- [HPV Immunisation Programme Vaccine Monitoring Monthly Minimum Data Set](#)
- [National Direct Access Audiology Patient Tracking List Data Set](#)
- [National Direct Access Audiology Waiting Times Data Set](#)
- [National Workforce Data Set](#)
- [Out-Patient Flows Data Set](#)
- [Out-Patient Stocks Data Set](#)
- [Patients Detained In Hospital Or On Supervised Community Treatment Data Set \(KP90\)](#)
- [Quarterly Monitoring Cancelled Operations Data Set \(QMCO\)](#)
- [Referral To Treatment Data Set](#)
- [Referral To Treatment Performance Sharing Data Set](#)
- [Referral to Treatment Summary Patient Tracking List Data Set](#)
- [Stop Smoking Services Quarterly Data Set](#)
- [Summarised Activity Flows Data Set](#)
- [Summarised Stocks Data Set](#)

PERSON SMOKING CESSATION EPISODE (RETIRED)_ renamed from PERSON SMOKING CESSATION EPISODE

Change to Supporting Information: Changed Name, status to Retired, Description

~~Person Smoking Cessation Episode is an ACTIVITY GROUP.~~ Person Smoking Cessation Episode is an ACTIVITY GROUP.

A period of time during which a [PERSON](#) attempts to stop smoking. During this time, it is expected that the [PERSON](#) will set a quit date. ~~The episode starts when the [PERSON](#) presents themselves to the [Smoking Cessation Service](#) and ends either when it is confirmed that the [PERSON](#) has stopped smoking, or has ceased to attempt to give up smoking, whichever is the earlier.~~ The episode starts when the [PERSON](#) presents themselves to the [Stop Smoking Service](#) and ends either when it is confirmed that the [PERSON](#) has stopped smoking, or has ceased to attempt to give up smoking, whichever is the earlier.

References: HSC 1999/087 New NHS Smoking Cessation Services, April 1999

~~[Department of Health](#) Monitoring Return: Smoking Cessation Services, April 2001.~~ [Department of Health](#) Monitoring Return: Smoking Cessation Services, April 2001

PERSON SMOKING CESSATION EPISODE (RETIRED)_ renamed from PERSON SMOKING CESSATION EPISODE

Change to Supporting Information: Changed Name, status to Retired, Description

- Changed Name from Data_Dictionary.NHS_Business_Definitions.P.Person_Smoking_Cessation_Episode to Retired.Data_Dictionary.NHS_Business_Definitions.P.Person_Smoking_Cessation_Episode
- Retired Person Smoking Cessation Episode
- Changed Description

QUIT DATE (RETIRED)_ renamed from QUIT DATE

Change to Supporting Information: Changed Name, status to Retired

- Changed Name from Data_Dictionary.NHS_Business_Definitions.Q.Quit_Date to Retired.Data_Dictionary.NHS_Business_Definitions.Q.Quit_Date
- Retired Quit Date

STOP SMOKING SERVICE_ renamed from SMOKING CESSATION SERVICE

Change to Supporting Information: Changed Name, Aliases, Description

~~Stop Smoking Service is a SERVICE set up by a Primary Care Trust to help people give up smoking.~~

~~Smoking Cessation Service is a SERVICE.~~

~~A service set up by a Primary Care Trust to help people give up smoking and to monitor the service.~~

~~To be designated as an NHS smoking cessation service requires that minimum quality standards should be met. For a SERVICE to be designated as an NHS Stop Smoking Service requires that minimum quality standards should be met. To meet these minimum quality standards all advisers should:~~

- ~~—have received appropriate training for their role,~~
- ~~—carry out the 4 week follow up promptly, in accordance with the current guidance,~~
- ~~—complete the minimum data set (the individual client data monitoring forms) for each client, fully and accurately, and return the information required to the coordinator in good time,~~
- ~~—offer weekly support for at least the first four weeks of a quit attempt,~~
- ~~—attempt to confirm smoking status of all clients self-reporting as having quit at 4 week follow up by use of a CO monitor, except where follow up is carried out by telephone.~~

- have received appropriate training for their role,
- carry out the 4 week follow-up promptly, in accordance with the current guidance,
- complete the minimum dataset (the individual PERSON data monitoring forms) for each PERSON, fully and accurately, and return the information required to the coordinator in good time,
- offer weekly support for at least the first four weeks of a quit attempt,
- attempt to confirm smoking status of all PERSONS self-reporting as having quit at 4 week follow-up by use of a carbon monoxide monitor, except where follow-up is carried out by telephone.

~~The majority of services will operate broadly on the 'Maudsley' model of a clinic providing intensive support, usually on a group therapy basis, to the most dependent smokers. The service should also continue to be supplemented by a range of services in various settings in primary care, secondary care and the community.~~ The majority of Stop Smoking Services will operate broadly on the 'Maudsley' model of a clinic providing intensive support, usually on a group therapy basis, to the most dependent smokers. The Stop Smoking Service should also continue to be supplemented by a range of SERVICES in various settings in primary care, secondary care and the community.

Central monitoring of data regarding 52 week follow-up is no longer required however, follow-up at 52 week stage is still recommended as good practice to establish long-term success rates and this information should still be collected locally.

References:

~~Health Service Circular 1999/007 New NHS Smoking Cessation Services, April 1999~~ [Department of Health Monitoring Return: Smoking Cessation Services, April 2001](#). [NHS Stop Smoking Guidance](#)

STOP SMOKING SERVICE_ renamed from SMOKING CESSATION SERVICE

Change to Supporting Information: Changed Name, Aliases, Description

- Changed Name from Data_Dictionary.NHS_Business_Definitions.S.Smoking_Cessation_Service to Data_Dictionary.NHS_Business_Definitions.S.Stop_Smoking_Service
- Alias Changes
 - Changed Description

Name	Old Value	New Value
plural	Smoking Cessation Services	Stop Smoking Services

STOP SMOKING SERVICE QUARTERLY DATA SET OVERVIEW

Change to Supporting Information: New Supporting Information

- Smoking is one of the most significant contributing factors to life expectancy, health inequalities and ill health, particularly cancer and coronary heart disease.
- The Department of Health requires information on services provided by NHS Health Care Providers.
- The Stop Smoking Services Quarterly Data Set provides essential information used to monitor the process of achieving the NHS targets to increase life expectancy at birth in England and to monitor the performance of Stop Smoking Services.

Collection and Submission

- This return relates to ACTIVITY taking place over a 3 month period. The return is made quarterly and should be submitted by the thirty second working day after the end of the quarter to which it relates.
- This data should be submitted for each Primary Care Trust.
- The data should be collected on responsible Primary Care Trust basis. The Primary Care Trust's responsible population comprises:
 - all PERSONS registered with a GP Practice that forms part of the Primary Care Trust, regardless of where the PERSON is resident, plus any PERSONS not registered with a GP Practice who are resident within the Primary Care Trust's statutory geographical boundary.
 - Note that PERSONS resident within the Primary Care Trust's statutory geographical boundary, but registered with a GP Practice that forms part of another Primary Care Trust, are the responsibility of that other Primary Care Trust.
 - The only **exception** to the above rules is where PERSONS receive a Stop Smoking Service at or near their workplace, which may be some distance from their home. For example, a Stop Smoking Service might be provided for commuters at their workplace in a large city. In such circumstances it is likely that people will be drawn from a range of places in the surrounding area e.g. commuters to London who live all around the south-east of England. Where a PERSON is judged to meet these criteria, the Primary Care Trust providing the Stop Smoking Service should include these people in their returns.
- The information in this Central Return Data Set is transmitted at aggregate level to the Health and Social Care Information Centre's web based data collection systems at <http://www.icweb.nhs.uk/stopsmokingservices>. NHS providers enter their data directly.
- Further information on the NHS Stop Smoking Services and the monitoring scheme can be found at [Stop Smoking Services Guidance](#).

Synopsis of Data Set Content

- The [Stop Smoking Services Quarterly Data Set](#) requires the [REPORTING PERIOD START DATE](#) and [REPORTING PERIOD END DATE](#) for the quarter to which it relates.
- The collection is for:
 - Part 1A - The number of [PERSONS](#) with a [PERSON STOP SMOKING EPISODE](#) setting a [SMOKING QUIT DATE](#) and successfully quitting by [ETHNIC CATEGORY](#) and [PERSON GENDER](#). Pregnant women should be included but not separately identified.
 - Part 1B - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) by [AGE BAND AT SMOKING QUIT DATE](#) and [PERSON GENDER](#) together with the outcome at 4 week follow-up. Pregnant women should be included but not separately identified.
 - Part 1C - The number of [PERSONS](#) with a [PREGNANCY STATUS](#) of 'Yes' at the time of the [SMOKING QUIT DATE](#) and the outcome at 4 week follow-up.
 - Part 1D - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) and successful quitters with a [FREE PRESCRIPTIONS INDICATOR](#) of '*Entitled to free prescriptions*'.
 - Part 1E - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) and successful quitters by [SOCIO-ECONOMIC CLASSIFICATION](#)
 - Part 1F - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) and successful quitters by [PHARMACOTHERAPY STOP SMOKING AID RECEIVED](#)
 - Part 1G - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) and successful quitters by [INTERVENTION SESSION TYPE](#)
 - Part 1H - The number of [PERSONS](#) setting a [SMOKING QUIT DATE](#) and successful quitters by [INTERVENTION SETTING](#)
 - Part 2A - Financial Allocations for the year by type of allocation. (See [STOP SMOKING SERVICE PCT FINANCIAL ALLOCATION](#) and [STOP SMOKING SERVICE OTHER FINANCIAL ALLOCATION](#).)
Figures should be to the nearest pound.
 - Part 2B - Cumulative total spend on [Stop Smoking Services](#) in the year up to the [REPORTING PERIOD END DATE](#).
(See [STOP SMOKING SERVICE CUMULATIVE TOTAL SPEND](#).)
Parts 2A and 2B should include all monies from whatever source which have been specifically allocated to, or spent on, [Stop Smoking Services](#) e.g. additional funding such as [Neighbourhood Renewal Funding](#).
Figures should be to the nearest pound.

ACTIVITY GROUP

Change to Class: Changed Description, Attributes

A subtype of [ACTIVITY](#).

Subtypes of [ACTIVITY GROUP](#) are:

[CRITICAL CARE PERIOD](#)
[PATIENT PATHWAY](#)
[REFERRAL TO TREATMENT PERIOD](#)

A continuous period of care or assessment for a [PATIENT](#) by one or more [CARE PROFESSIONAL](#). [ACTIVITY GROUPS](#) mainly consist of episodes, spells, stays or care periods.

An [ACTIVITY GROUP](#) may include one or more [CARE ACTIVITIES](#).

[ACTIVITY GROUPS](#) include:

- [Accident And Emergency Episode](#)
- [Acute Myocardial Infarction Care Spell](#)
- [Breast Cancer Care Spell](#)
- [Cancer Care Spell](#)
- [Cancer Treatment Period](#)
- [Care Home Stay \(Consultant Care\)](#)
- [Care Home Stay \(Midwife Care\)](#)
- [Care Home Stay \(Nursing Care\)](#)
- [Care Home Stay \(Residential\)](#)
- [Care Programme Approach Episode](#)
- [Care Spell](#)
- [Colorectal Cancer Care Spell](#)
- [Community Episode](#)
- [Consultant Episode \(Acute Home-Based\)](#)
- [Consultant Episode \(Hospital Provider\)](#)
- [Consultant Out-Patient Episode](#)
- [Dental Episode](#)
- [Drug Misuse Episode](#)
- [Genitourinary Episode](#)
- [Head And Neck Cancer Care Spell](#)
- [Home Dialysis Episode](#)
- [Hospital Provider Spell](#)
- [Hospital Stay](#)
- [Lung Cancer Care Spell](#)
- [Mental Health Care Spell](#)
- [MHC Without Patient Consent](#)
- [Midwife Episode](#)
- [Neonatal Level Of Care Period](#)
- [Nursing Episode](#)
- [Palliative Care Episode](#)
- ~~[Person Smoking Cessation Episode](#)~~
- **[PERSON STOP SMOKING EPISODE](#)**
- [Pregnancy Episode](#)
- [Professional Staff Group Episode](#)
- [Regular Attender Episode](#)
- [Sarcoma Care Spell](#)
- [Skin Cancer Care Spell](#)
- [Supervised Discharge Episode](#)
- [Supervised Community Treatment](#)
- [Supervised Community Treatment Recall](#)
- [Supervision Register Episode](#)
- [Upper GI Cancer Care Spell](#)
- [Urological Cancer Care Spell](#)
- [Ward Stay](#)

ACTIVITY GROUP

Change to Class: Changed Description, Attributes

Attributes of this Class are:

A and E INCIDENT LOCATION TYPE
 A and E PATIENT GROUP
 ACTIVITY GROUP TYPE
 ADMISSION METHOD

AMI ADMISSION DIAGNOSIS
AMI ADMISSION WARD TYPE
AMI ADMITTING CONSULTANT TYPE
AMI CAUSE OF DEATH IN HOSPITAL
AMI DISCHARGE DIAGNOSIS
AMI HEART RATE
BONE SARCOMA LOCATION
BROAD PATIENT GROUP
CANCER REFERRAL TO TREATMENT PERIOD START DATE
CANCER STATUS
CANCER TREATMENT INTENT
CANCER TREATMENT PERIOD START DATE
COPD PRESENT
CORONARY ANGIOGRAPHY PERFORMED
CPA LEVEL
DELIVERY FACILITIES ONLY USED
DELIVERY PLACE CHANGE REASON
DIAGNOSTIC ROUTE
DISCHARGE DESTINATION
DISCHARGE METHOD
DISTRIBUTION OF LESIONS PRESENT
ECG DETERMINING TREATMENT
FIRST REGULAR DAY OR NIGHT ADMISSION
FULL POSTNATAL EXAMINATION DATE
GENERAL DENTAL SERVICE INDICATOR
GENETICALLY DETERMINED SKIN CANCER TYPE
GENITOURINARY EPISODE TYPE
INFECTION PROBABLE SOURCE
INITIAL CONTACT TYPE
INTENDED DELIVERY PLACE
INVESTIGATION OR INTERVENTION REFERRAL DATE
MATERNAL RUBELLA STATUS
MENSTRUAL STATUS
MENTAL HEALTH CARE SPELL END CODE
MIDWIFE EPISODE END REASON
NEONATAL LEVEL OF CARE
~~NON SMOKING CONFIRMED AT 4 WEEKS~~
~~NON SMOKING CONFIRMED AT 52 WEEKS~~
NURSING EPISODE END REASON
NUTRITIONAL SUPPORT PROVIDED TYPE
~~OUTCOME AT 4 WEEK FOLLOW UP~~
~~OUTCOME AT 52 WEEK FOLLOW UP~~
PATIENT CLASSIFICATION
~~PHARMACEUTICAL SMOKING CESSATION AID~~
POSSUM SCORE (AFTER SURGERY)
POSSUM SCORE (AT DIAGNOSIS)
PREGNANCY LEAD PROFESSIONAL TYPE
PREGNANCY PREVIOUS CAESAREAN SECTIONS
PREGNANCY PREVIOUS INDUCED ABORTIONS
PREGNANCY TOTAL LIVE BIRTHS
PREGNANCY TOTAL NEONATAL DEATHS
PREGNANCY TOTAL NON-INDUCED ABORTIONS
PREGNANCY TOTAL PREVIOUS PREGNANCIES

PREGNANCY TOTAL STILL BIRTHS
PREVIOUS MATERNAL BLOOD TRANSFUSION
PREVIOUS TREATMENT ELSEWHERE
QUALITY OF LIFE
RADIOTHERAPY INTENT
REHABILITATION REFERRAL
RTA FURTHER ADMISSION PLANNED
SARCOMA CONDITION FIRST SEEN
SARCOMA LARGEST DIAMETER
SARCOMA PART SITE
S CATEGORY FINAL PRETREATMENT
SERUM TUMOUR MARKER PSA
SKIN TCELL CLINICAL VARIANT
SKIN TCELL SURFACE AREA
SOFT TISSUE SARCOMA LOCATION
SOURCE OF ADMISSION
SUPERVISED COMMUNITY TREATMENT END REASON
SUPERVISED COMMUNITY TREATMENT END REASON1
SUPERVISION REGISTER RISK
TELEPHONE CONTACT INDICATOR
TREATMENT START DATE CANCER
WARD STAY TERMINATION REASON

CLINICAL INTERVENTION

Change to Class: Changed Attributes

Attributes of this Class are:

ACCIDENT AND EMERGENCY INVESTIGATION
ACCIDENT AND EMERGENCY TREATMENT
ANATOMICAL EXAMINATION SITE
BODY IRRADIATION
BRACHYTHERAPY ACTUAL FRACTION
BRACHYTHERAPY DELIVERY TYPE
BRACHYTHERAPY DOSE RATE
BRACHYTHERAPY ISOTOPE TYPE
BRACHYTHERAPY PRESCRIBED FRACTIONS
BRACHYTHERAPY TYPE
BREAST ASSESSMENT / TEST OUTCOME
CANCER IMAGING MODALITY
CANCER TREATMENT MODALITY
CLINICAL EXAMINATION FINDINGS
CLINICAL INTERVENTION TYPE
COLONOSCOPY INCOMPLETE REASON
CORONARY INTERVENTION PERFORMED
CYTOLOGY SCREENING ACTION TYPE
DENTAL TREATMENT CLASSIFICATION
DISCHARGE THERAPY TYPE
DRUG ADMINISTRATION DURATION
DRUG ADMINISTRATION STATUS
DRUG DAYS SUPPLY
DRUG DOSAGE AND ADMIN SPECIFICATION
DRUG IDENTIFICATION
DRUG INFORMATION COMMENT

DRUG INFORMATION TYPE
DRUG PROGRAMME RESPONSE
DRUG QUANTITY SUPPLIED
DRUG REGIMEN ACRONYM
DRUG ROUTE OF ADMINISTRATION
DRUG THERAPY TYPE
DRUG TREATMENT COST
DRUG TREATMENT INTENT
ENDOCRINE THERAPY TYPE
FIRST DEFINITIVE TREATMENT PROVIDED
FIRST DIAGNOSTIC TEST
FRACTION NUMBER
GESTATION LENGTH (LABOUR ONSET)
HIP REPLACEMENT BONEGRAFT
HIP SURGERY INCISION TYPE
HIP SURGERY PATIENT POSITION
HIP SURGERY TROCHANTER INDICATOR
IMAGE GUIDED SURGERY INDICATOR
IMAGING EVENT NUMBER
IMAGING INTERVENTION INDICATOR
IMAGING MODALITY
IMMUNITY TEST RESULT
INTERVENTION SESSION TYPE
INTERVENTION SETTING
JOINT REPLACEMENT PRIMARY OR REVISION
JOINT REPLACEMENT REVISION NUMBER
KNEE REPLACEMENT CEMENT INDICATOR
KNEE SURGERY FAT PAD REMOVED
KNEE SURGERY SKIN INCISION METHOD
KNEE SURGERY SURGICAL APPROACH
KNEE SURGERY TOURNIQUET USED
LABOUR FIRST STAGE LENGTH
LABOUR OR DELIVERY ONSET METHOD
LABOUR PROFESSIONAL PRIOR INVOLVEMENT
LABOUR SECOND STAGE LENGTH
MINIMALLY INVASIVE SURGERY INDICATOR
MINOR SURGERY TYPE
NATURE OF RISK AREA CODE
NEW LESIONS TREATED NUMBER
NUMBER OF TELETHERAPY FIELDS
OPERATIVE PATIENT PROCEDURE INDICATOR
OPPORTUNISTIC SCREENING TYPE
PATHOLOGY INVESTIGATION PRIORITY
PATHOLOGY RESULT REPORTED DATE
PATHOLOGY SPECIMEN TYPE
PATIENT PHYSICAL STATUS
PATIENT PROCEDURE IMPLANT INDICATION
PATIENT PROCEDURE RESULT
PLANNED TREATMENT CHANGE REASON
POST MORTEM TYPE
PRIMARY OR SUBSEQUENT COURSE
PRIMARY SCREENING
RADIOTHERAPY ACTUAL DOSE

RADIOTHERAPY ANAESTHETIC
RADIOTHERAPY ANATOMICAL TREATMENT SITE
RADIOTHERAPY PRESCRIBED DOSE
RADIOTHERAPY PRESCRIBED DURATION
RADIOTHERAPY TREATMENT COURSE STATUS
RADIOTHERAPY TREATMENT MODALITY
RATE OF GMP PAYMENT
RECURRENT LESIONS TREATED NUMBER
RESULT SENT DIRECT
ROUTINE OR EMERGENCY
SARCOMA SURGICAL MARGIN
SARCOMA SURGICAL PROCEDURE TYPE
SCHEDULED SESSION DURING OR OUTSIDE
SURGICAL DEFAULT TECHNIQUE INDICATOR
SURGICAL URGENCY
TELEOTHERAPY ACTUAL FRACTIONS
TELEOTHERAPY BEAM TYPE
TELEOTHERAPY COMPLEXITY GROUP
TELEOTHERAPY ELECTRON ENERGY
TELEOTHERAPY FIELDS
TELEOTHERAPY MULTIPLE PLANNING
TELEOTHERAPY PHOTON ENERGY
TELEOTHERAPY PRESCRIBED FRACTIONS
THROMBO PROPHYLAXIS REGIME TYPE
TREATMENT EXPOSURE TYPE
TYPE OF ANAESTHETIC
UNSEALED SOURCE ISOTOPE TYPE
UNSEALED SOURCE PATIENT TYPE
VACCINATION REASON INDICATOR

CURRENCY

Change to Class: Changed Relationships

Each CURRENCY

- K may be used for one or more SERVICE FINANCIAL ALLOCATION
- may be relate to one or more GMP CLAIM FOR PAYMENT OR REIMBURSEMENT
- may be relate to one or more GMP PAYMENT OR REIMBURSEMENT

PERSON PROPERTY

Change to Class: Changed Attributes

Attributes of this Class are:

- K PERSON PROPERTY IDENTIFIER
- AMI HISTORY ITEM TYPE
- FREE PRESCRIPTIONS INDICATOR
- LAST MENSTRUAL PERIOD DATE
- PERSON PROPERTY EFFECTIVE DATE
- PERSON PROPERTY EFFECTIVE END DATE
- PERSON PROPERTY EFFECTIVE END TIME
- PERSON PROPERTY EFFECTIVE TIME
- PERSON PROPERTY OBSERVED DATE
- PERSON PROPERTY OBSERVED TIME

PERSON PROPERTY RECORDED DATE
PERSON PROPERTY RECORDED TIME
PREGNANCY STATUS

PERSON STOP SMOKING EPISODE

Change to Class: New Class

PERSON STOP SMOKING EPISODE is an **ACTIVITY GROUP**.

A period of time during which a **PERSON** attempts to stop smoking as a result of structured stop smoking interventions, delivered by NHS staff or their trained agents. During this time, it is expected that the **PERSON** will set a **SMOKING QUIT DATE**.

The **PERSON STOP SMOKING EPISODE** starts when the **PERSON** has consented to a programme of treatment and presents themselves to the **Stop Smoking Service** for a treatment session and has set a **SMOKING QUIT DATE**.

The **PERSON STOP SMOKING EPISODE** ends 28 days after their specified **SMOKING QUIT DATE** (or within 25 to 42 days of the **SMOKING QUIT DATE**) when either it is confirmed that the **PERSON** has stopped smoking, or they have not been successful or they are lost to follow up (where the **PERSON** could not be contacted at four weeks (-3 days or +14 days)).

A **PERSON** who has participated in an assessment session but failed to attend for treatment should not be counted as having started a **PERSON STOP SMOKING EPISODE**.

References: Department of Health **NHS Stop Smoking Services: service and monitoring guidance, October 2007/08**.

PERSON STOP SMOKING EPISODE

Change to Class: New Class

Attributes of this Class are:

NON SMOKING CONFIRMED AT 4 WEEKS
OUTCOME AT 4 WEEK FOLLOW-UP
PHARMACOTHERAPY STOP SMOKING AID RECEIVED
SMOKING QUIT DATE

PERSON STOP SMOKING EPISODE

Change to Class: New Class

SERVICE

Change to Class: Changed Description

An episode of care, treatment or other service provided by an **ORGANISATION** which may be chargeable to one or more **NHS SERVICE AGREEMENTS**. In most cases, the service will be for the direct benefit of a **PATIENT**. For example a **SERVICE** may be one or more of the following:

- a [Consultant Episode \(Hospital Provider\)](#)

- b [Consultant Out-Patient Episode](#)
- c [HEALTHY PERSON STAY](#)
- d [Accident And Emergency Episode](#)
- e [Radiotherapy Treatment Course](#)
- f [DIAGNOSTIC TEST REQUEST](#)
- g [Regular Attender Episode](#)
- h [Professional Staff Group Episode](#)
- i [Genitourinary Episode](#)
- j [TRANSPORT REQUEST](#)
- k [Stop Smoking Service](#)

A [SERVICE](#) associated with a [Care Spell](#) may be treatment carried out by the [ORGANISATION](#) acting as the Health Care Provider as part of a Care Spell for which the lead responsibility is with another [ORGANISATION](#).

SERVICE FINANCIAL ALLOCATION

Change to Class: New Class

An allocation of funds during a particular [REPORTING PERIOD](#) for a [SERVICE](#).

SERVICE FINANCIAL ALLOCATION

Change to Class: New Class

Attributes of this Class are:

- K [FINANCIAL ALLOCATION OR SPEND TYPE](#)
- [FINANCIAL AMOUNT](#)

SERVICE FINANCIAL ALLOCATION

Change to Class: New Class

Each SERVICE FINANCIAL ALLOCATION

- K [must be an allocation during one and only one REPORTING PERIOD](#)
- K [must be for one and only one SERVICE](#)
- [must be for one and only one CURRENCY](#)

SOCIO-ECONOMIC CLASSIFICATION

Change to Class: New Class

A categorisation of a [PERSON](#)'s socio-economic group.

Further guidance on coding can be found at the [Office for National Statistics - The National Statistics Socio-economic Classification \(NS-SEC\)](#).

SOCIO-ECONOMIC CLASSIFICATION

Change to Class: New Class

Attributes of this Class are:

- K [SOCIO ECONOMIC CLASSIFICATION CODE](#)

SOCIO-ECONOMIC CLASSIFICATION

Change to Class: New Class

Each SOCIO-ECONOMIC CLASSIFICATION

may be a category for one or more CATEGORY VALUED PERSON OBSERVATION

ACTIVITY DATE TIME TYPE

Change to Attribute: Changed Description

The classification of a date or time that that defines the usage with regard to the [ACTIVITY](#).

An [ACTIVITY](#) may have many dates and times associated with it but may only have one date or time of a particular type.

National Codes:

Dates

- 01 [Angiogram Date](#)
- 02 [Arrival Date](#)
- 03 [Breast Assessment Date](#)
- 04 [Cancer Dental Assessment Date](#)
- 05 [Colorectal Or Stoma Nurse Seen Date](#)
- 06 [Coronary Angiography Date](#)
- 07 [CPA Review Date](#)
- 08 [Date Biopsy Taken](#)
- 09 [Discharge Date](#)
- 10 [Discharge Ready Date](#)
- 11 [End Date](#)
- 12 [Event Date](#)
- 13 [Expected Delivery Date](#)
- 14 [First Antenatal Assessment Date](#)
- 15 [Full Postnatal Examination Date](#)
- 16 [Initial Patient Contact Date](#)
- 17 [Investigation Transfer Date](#)
- 18 [IUD Application Date](#)
- 19 [IUD Fitted Date](#)
- 20 [Last Dosage Date](#)
- 21 [Mental Health Care Assessment Date](#)
- 22 [Miscarriage Date](#)
- 23 [Pathology Result Due Date](#)
- 24 [Patient Informed Biopsy Result Date](#)
- 25 [Patient Informed Of Outcome Date](#)
- ~~26~~ [Quit Date](#)
- 26 [SMOKING QUIT DATE](#)
- 27 [Review Planned Date](#)
- 28 [Screening Result Date](#)
- 29 [Screening Result Sent Date](#)
- 30 [Specialist Palliative Care Date](#)
- 31 [Start Date](#)
- 32 [Symptoms First Noted Date](#)
- 33 [Attendance Date](#)
- 34 [Clinical Intervention Date](#)
- 35 [Immunisation Completion Date](#)
- 36 [Clinical Status Assessment Date](#)

- 37 [Dose Given Date](#)
- 38 [Test Date](#)
- 39 [Contact Date](#)
- 40 [Appointment Date](#)
- 41 [Primary Procedure Date](#)
- 42 [Second Operation Date](#)
- 43 [Speech and Swallowing Assessment Date](#)
- 44 [Third Operation Date](#)
- 45 [Date First Seen](#)
- 46 [Statutory Assessment Date](#)
- 47 [Screening Test Date](#)
- 48 [Genitourinary Care Contact Date](#)
- 66 [CONSULTANT UPGRADE DATE](#)

Note: This list is not in alphabetical order.

Times

- 50 [A and E ATTENDANCE CONCLUSION TIME](#)
- 51 [A and E DEPARTURE TIME](#)
- 52 [A and E INITIAL ASSESSMENT TIME](#)
- 53 [A and E TIME SEEN FOR TREATMENT](#)
- 54 [Arrival At Hospital Time](#)
- 55 [Arrival Time](#)
- 56 [End Time](#)
- 57 [Event Time](#)
- 58 [Initial Patient Contact Time](#)
- 59 [Last Dosage Time](#)
- 60 [Pathology Result Due Time](#)
- 61 [Start Time](#)
- 62 [Theatre Case Time In To Theatre Suite](#)
- 63 [Theatre Case Time Out Of Theatre](#)
- 64 [Theatre Case Time Out Of Theatre Suite](#)
- 65 [Time Seen](#)
- b1 Discharge Ready Time

Note: This list is not in alphabetical order.

ACTIVITY GROUP TYPE

Change to Attribute: Changed Description

One of the business definitions listed in the [ACTIVITY GROUP](#) class as a type of this class.

[Consultant Episode \(Hospital Provider\)](#) has four 'sub types' (General, Birth, Delivery and Detained and Long Term Psychiatric Patient Census) which form four individual [ACTIVITY GROUP TYPE](#) values.

National Codes:

- 01 [Accident And Emergency Episode](#)
- 02 [Acute Myocardial Infarction Care Spell](#)
- 03 [Augmented Care Period - Retired CP724](#)
- 04 [Breast Cancer Care Spell](#)
- 05 [Cancer Care Spell](#)

- 06 [Care Home Stay \(Consultant Care\)](#)
- 07 [Care Home Stay \(Midwife Care\)](#)
- 08 [Care Home Stay \(Nursing Care\)](#)
- 09 [Care Home Stay \(Residential\)](#)
- 10 [Care Programme Approach Episode](#)
- 11 [Colorectal Cancer Care Spell](#)
- 12 [Community Episode](#)
- 13 [Consultant Episode \(Acute Home-Based\)](#)
- 14 [Consultant Episode \(Hospital Provider\)](#)
- 15 [Consultant Out-Patient Episode](#)
- 16 [Dental Episode](#)
- 17 [Drug Misuse Episode](#)
- 18 [Genitourinary Episode](#)
- 19 [Head And Neck Cancer Care Spell](#)
- 20 [Home Dialysis Episode](#)
- 21 [Hospital Provider Spell](#)
- 22 [Lung Cancer Care Spell](#)
- 23 [Mental Health Care Spell](#)
- 23 [MHC Without Patient Consent](#)
- 24 [Midwife Episode](#)
- 25 [Neonatal Level Of Care Period](#)
- 26 [Nursing Episode](#)
- 27 [Palliative Care Episode](#)
- ~~28~~ ~~[Person Smoking Cessation Episode](#)~~
- 28 [PERSON STOP SMOKING EPISODE](#)
- 29 [Pregnancy Episode](#)
- 30 [Professional Staff Group Episode](#)
- 31 [Regular Attender Episode](#)
- 32 Road Traffic Accident Treatment
- 33 [Sarcoma Care Spell](#)
- 34 [Skin Cancer Care Spell](#)
- 35 [Supervised Discharge Episode](#)
- 36 [Supervision Register Episode](#)
- 37 [Upper GI Cancer Care Spell](#)
- 38 [Urological Cancer Care Spell](#)
- 39 [Ward Stay](#)
- 40 [Hospital Stay](#)
- 41 [Care Spell](#)
- 42 [CRITICAL CARE PERIOD](#)
- 43 [PATIENT PATHWAY](#)
- 44 [REFERRAL TO TREATMENT PERIOD](#)
- 45 [Active Monitoring](#)
- 46 [Supervised Community Treatment Recall](#)
- 47 [Supervised Community Treatment](#)

Note: The list is not in alphabetical order.

FINANCIAL ALLOCATION OR SPEND TYPE

Change to Attribute: New Attribute

The type of financial allocation to or spend by a Primary Care Trust of funds for a SERVICE during a REPORTING PERIOD.

This should include all monies from whatever source which have been specifically allocated to, or spent on, the

SERVICE e.g. additional funding such as Neighbourhood Renewal Funding.

National Codes:

- 01 Financial allocation to Primary Care Trusts for the REPORTING PERIOD
- 02 Other financial allocation including any underspend carried over from a previous REPORTING PERIOD
- 03 Cumulative total spend for the financial year to date

FINANCIAL AMOUNT

Change to Attribute: New Attribute

An amount of money.

FREE PRESCRIPTIONS INDICATOR

Change to Attribute: New Attribute

An indicator of whether or not a PERSON is eligible for free prescriptions.

Someone is entitled to get free prescriptions if they:

- are under 16
- are under 19 and in full-time education
- are aged 60 or over
- get Income Support, Income-based Jobseeker's Allowance or Pension Credit Guarantee Credit
- have an NHS tax credit exemption certificate
- have a prescription exemption certificate (pregnant or have had a child in the past year or have a qualifying medical condition)
- are on a low income and have an HC2 certificate
- are a war pensioner if treatment is connected with the pensionable disability

National Codes:

- 01 Eligible for free prescriptions
- 02 Not eligible

INTERVENTION SESSION TYPE

Change to Attribute: New Attribute

The type of session in which a CLINICAL INTERVENTION is provided.

National Codes:

- 01 Closed group (structured, multi-session group course with pre-arranged start and finish dates and a pre-booked client group)
- 02 Open group (sometimes called a 'rolling group', which has fluctuating membership and is ongoing)
- 03 Drop-in clinic (multi-session support)
- 04 One-to one support (structured, multi-session support)
- 05 Couple/family (structured, multi-session support for small family groups or couples)
- 06 Telephone support (structured, multi-session support via telephone)
- 96 Other

INTERVENTION SESSION TYPE

Change to Attribute: New Attribute

INTERVENTION SESSION TYPE

Data Elements:

INTERVENTION SESSION TYPE (STOP SMOKING)

INTERVENTION SETTING

Change to Attribute: New Attribute

The type of setting in which a **CLINICAL INTERVENTION** was delivered.

National Codes:

01	Service venue
02	Pharmacy setting
03	Prison setting
04	Primary care setting
05	Hospital ward setting
06	Dental Practice setting
07	Military base setting
96	Other

INTERVENTION SETTING

Change to Attribute: New Attribute

INTERVENTION SETTING

Data Elements:

INTERVENTION SETTING (STOP SMOKING)

NON SMOKING CONFIRMATION STATUS AT 4 WEEKS_ renamed from NON SMOKING CONFIRMED AT 4 WEEKS

Change to Attribute: Changed Name, Aliases, Description

An indicator of whether non-smoking status confirmation has been confirmed by carbon monoxide validation, attempted but not confirmed or confirmation was not attempted at the 4 week follow-up after the **SMOKING QUIT DATE**.

~~An indicator of whether non-smoking status has been confirmed, was attempted but not confirmed, or confirmation was not attempted, by carbon monoxide (CO) validation at 4 weeks follow-up after the **ACTIVITY DATE** of type 'Quit Date'.~~

A machine called a carbon monoxide monitor or Smokelyser is used to detect the amount of carbon monoxide in the breath and therefore to detect whether someone is still smoking. ~~For the purposes of CO validation, any CO reading of less than 10 ppm should be taken as an indication that the client is not smoking at the time.~~ For the purposes of carbon monoxide validation, any carbon monoxide reading of less than 10 parts per million should be taken as an indication that the **PERSON** is not smoking at the time.

~~Classification:~~ National Codes:

- ~~a-~~ Non-smoking status confirmed by CO validation
- ~~b-~~ Not confirmed - CO validation attempted
- ~~c-~~ Not confirmed - CO validation not attempted
- 1 Non-smoking status confirmed by carbon monoxide validation
- 2 Not confirmed - attempt has been made to contact the PERSON for carbon monoxide validation or carbon monoxide validation done but non-smoking status not confirmed. An 'attempt' should comprise a minimum of three separate attempts to contact the PERSON via telephone, text or email in order to arrange a face-to-face carbon monoxide validation.
- 8 Not Applicable (e.g. PERSON self reports as smoker at 4 weeks, confirmation not attempted as telephone service only or they are 'lost to follow-up')

NON SMOKING CONFIRMATION STATUS AT 4 WEEKS_ renamed from NON SMOKING CONFIRMED AT 4 WEEKS

Change to Attribute: Changed Name, Aliases, Description

- Changed Name from Data_Dictionary.Attributes.N.Non.NON_SMOKING_CONFIRMED_AT_4_WEEKS to Data_Dictionary.Attributes.N.Non.NON_SMOKING_CONFIRMATION_STATUS_AT_4_WEEKS
- Alias Changes
 - Changed Description

Name	Old Value	New Value
plural	NON SMOKING CONFIRMED AT 4 WEEKS	NON SMOKING CONFIRMATION STATUSES AT 4 WEEKS
formerly		NON SMOKING CONFIRMED AT 4 WEEKS

NON SMOKING CONFIRMED AT 52 WEEKS (RETIRED)_ renamed from NON SMOKING CONFIRMED AT 52 WEEKS

Change to Attribute: Changed Name, status to Retired

- Changed Name from Data_Dictionary.Attributes.N.Non.NON_SMOKING_CONFIRMED_AT_52_WEEKS to Retired.Data_Dictionary.Attributes.N.Non.NON_SMOKING_CONFIRMED_AT_52_WEEKS
- Retired NON SMOKING CONFIRMED AT 52 WEEKS

OUTCOME AT 4 WEEK FOLLOW-UP

Change to Attribute: Changed Description

The outcome of a PERSON STOP SMOKING EPISODE at the 4 week follow-up after the SMOKING QUIT DATE on a self-reporting basis. That is those who have received at least one session of a structured, multi-session intervention (delivered by the NHS or one of its trained agents), whose quit status at four weeks from their SMOKING QUIT DATE (or within 25 to 42 days of the SMOKING QUIT DATE) has been assessed (face-to-face, by telephone or by postal questionnaire).

~~The outcome of a Person Smoking Cessation Episode at the 4 week follow-up after the ACTIVITY DATE of type 'Quit Date' on a self-reporting basis. Successfully quit should include those who report not having smoked since 2 weeks after the ACTIVITY DATE of type 'Quit Date'. National Code 1 'Successfully quit at 4 week follow-up (self-report)' should be those who report not having smoked since 2 weeks after the SMOKING QUIT DATE.~~

~~Classification:~~ National Code 3 'Non-smoking status not known/lost to follow-up' should include all PERSONS whom it has not been possible to successfully follow-up at four weeks (-3 days or +14 days) from the SMOKING

QUIT DATE.

For follow-up, PERSONS should either be seen in-person or contacted by telephone. Up to 3 attempts should be made to reach the PERSON by telephone, text or email; any PERSON not contacted after 3 attempts should be assumed to be 'lost to follow-up'.

National Codes:

- a. Report successfully quit at 4 week follow-up
- b. Not quit at 4 week follow-up
- e. Not known/lost to follow-up
- 1 Successfully quit at 4 week follow-up (self-report)
- 2 Not quit at 4 week follow-up (self-report)
- 3 Non-smoking status not known/lost to follow-up

OUTCOME AT 52 WEEK FOLLOW-UP (RETIRED)_ renamed from OUTCOME AT 52 WEEK FOLLOW-UP

Change to Attribute: Changed Name, status to Retired

- Changed Name from Data_Dictionary.Attributes.O.Out.OUTCOME_AT_52_WEEK_FOLLOW-UP to Retired.Data_Dictionary.Attributes.O.OUTCOME_AT_52_WEEK_FOLLOW-UP
- Retired OUTCOME AT 52 WEEK FOLLOW-UP

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Change to Attribute: New Attribute

A classification used to identify whether a PATIENT received a particular pharmacotherapy treatment during a PERSON STOP SMOKING EPISODE

It should be taken that a PATIENT received such an aid regardless of the method by which a PATIENT might obtain their relevant aid - whether through prescription, purchase, or supply free of charge, including through a voucher scheme where this is still in operation.

National Codes:

- 01 Received Nicotine Replacement Therapy only
- 02 Received bupropion (Zyban) only
- 03 Received varenicline (Champix) only
- 04 Received both Nicotine Replacement Therapy and bupropion (Zyban) either concurrently or consecutively
- 05 Received both Nicotine Replacement Therapy and varenicline (Champix) consecutively
- 06 Did not receive either Nicotine Replacement Therapy, bupropion (Zyban) or varenicline (Champix)

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Change to Attribute: New Attribute

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Data Elements:

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

SMOKING QUIT DATE

Change to Attribute: New Attribute

The date set by a PERSON on which they intend to stop smoking.

For PERSONS using bupropion (Zyban), it is recommended that a SMOKING QUIT DATE is set within the first 2 weeks of therapy, usually in the second week, e.g. day 8.

For PERSONS using Champix, current license specification and preliminary guidance indicates that a SMOKING QUIT DATE should fall on the 8th day after commencement of dosing with Champix.

SOCIO-ECONOMIC CLASSIFICATION CODE

Change to Attribute: New Attribute

The codes for the SOCIO-ECONOMIC CLASSIFICATION based on the Office for National Statistics socio-economic classification.

National Codes:

L1	Employers in large organisations
L2	Higher managerial occupations
L3	Higher professional occupations
L4	Lower professional and higher technical occupations
L5	Lower managerial occupations
L6	Higher supervisory occupations
L7	Intermediate Occupations
L8	Employers in small organisations
L9	Own account workers
L10	Lower supervisory occupations
L11	Lower technical occupations
L12	Semi-routine occupations
L13	Routine occupations
L14	Never worked and long-term unemployed
L15	Full time student
L16	Occupations not stated or inadequately described
L17	Not classifiable for other reasons such as home carer (i.e. looking after children, family or home), sick or disabled and unable to work
090	Non-employed

Further guidance on coding can be found at the Office for National Statistics - The National Statistics Socio-economic Classification (NS-SEC).

SOCIO-ECONOMIC CLASSIFICATION CODE

Change to Attribute: New Attribute

SOCIO-ECONOMIC CLASSIFICATION CODE

Data Elements:

SOCIO-ECONOMIC CLASSIFICATION CODE (STOP SMOKING)

AGE BAND AT SMOKING QUIT DATE

Change to Data Element: New Data Element

Format/length:	n2
HES item:	
National Codes:	
Default Codes:	99 - Not known i.e. date of birth not known

Notes:

This is derived as the number of completed years between the PERSON BIRTH DATE of the PERSON and the SMOKING QUIT DATE of the PERSON STOP SMOKING EPISODE.

The following values are to be used:

- | | |
|----|--------------------------|
| 01 | Under 18 years of age |
| 02 | 18 to 34 years of age |
| 03 | 35 - 44 years of age |
| 04 | 45 - 59 years of age |
| 05 | 60 and over years of age |

AMOUNT STERLING

Change to Data Element: Changed linked Attribute

AMOUNT STERLING

Attribute:

CURRENCY TYPE

INTERVENTION SESSION TYPE (STOP SMOKING)

Change to Data Element: New Data Element

Format/length:	n2
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the INTERVENTION SESSION TYPE used for a CLINICAL INTERVENTION as part of a Stop Smoking Service.

INTERVENTION SESSION TYPE (STOP SMOKING)

Change to Data Element: New Data Element

INTERVENTION SESSION TYPE (STOP SMOKING)

Attribute:

INTERVENTION SESSION TYPE

INTERVENTION SETTING (STOP SMOKING)

Change to Data Element: New Data Element

Format/length:	n2
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the INTERVENTION SETTING used for a CLINICAL INTERVENTION as part of a Stop Smoking Service.

INTERVENTION SETTING (STOP SMOKING)

Change to Data Element: New Data Element

INTERVENTION SETTING (STOP SMOKING)

Attribute:

INTERVENTION SETTING

ORGANISATION CODE (STOP SMOKING SERVICE PROVIDER)

Change to Data Element: New Data Element

Format/length:	see ORGANISATION CODE
HES item:	PROCEDURE
National Codes:	
Default Codes:	89997 - Non-UK provider where no organisation code has been issued 89999 - Non-NHS UK provider where no organisation code has been issued

Notes:

This is the same as ORGANISATION CODE (RESPONSIBLE PCT) with the exception of PERSONS receiving a Stop Smoking Service at or near their workplace, which may be some distance from their home.

For example, a Stop Smoking Service might be provided for commuters at their workplace in a large city. In such circumstances it is likely that PERSONS will be drawn from a range of places in the surrounding area e.g. commuters to London who live all around the south-east of England. Where a SERVICE is judged to meet these criteria, the Primary Care Trust providing the SERVICE is the responsible Primary Care Trust.

ORGANISATION CODE (STOP SMOKING SERVICE PROVIDER)

Change to Data Element: New Data Element

ORGANISATION CODE (STOP SMOKING SERVICE PROVIDER)

Attribute:

ORGANISATION CODE

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Change to Data Element: New Data Element

Format/length:	n2
HES item:	
National Codes:	
Default Codes:	99 - Treatment option not known

Notes:

This is the same as attribute PHARMACOTHERAPY STOP SMOKING AID RECEIVED.

If a PERSON is 'lost to follow-up' at 4 weeks (where it has not been possible successfully to follow-up during the period four to six weeks from the SMOKING QUIT DATE, see OUTCOME AT 4 WEEK FOLLOW-UP) and it is not known what aids if any they received, they should be recorded as National Code 99 'Treatment option not known'.

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Change to Data Element: New Data Element

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

Attribute:

PHARMACOTHERAPY STOP SMOKING AID RECEIVED

SOCIO-ECONOMIC CLASSIFICATION CODE (STOP SMOKING)

Change to Data Element: New Data Element

Format/length:	an2
HES item:	
National Codes:	
Default Codes:	99 - Unknown

Notes:

The SOCIO-ECONOMIC CLASSIFICATION CODE for the Stop Smoking Service based on a simplified version of the Office for National Statistics socio-economic classification. These are derived as:

National Codes:

- 01 Full time student (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L15)
- 02 Never worked or unemployed for over one year. If unemployed for less than one year, last known occupation should be used for classification. (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L14)
- 03 Retired (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE Non-employed)
- 04 Home carer i.e. looking after children, family or home (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L17)
- 05 Sick or disabled and unable to work (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L17)
- 06 Managerial/professional. Examples include: accountant, artist, civil/mechanical engineer, medical practitioner, musician, nurse, police officer (sergeant or above), physiotherapist, scientist, social worker, software engineer, solicitor, teacher, welfare officer. Those usually responsible for planning, organising and co-ordinating work for finance. (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L1-L6)
- 07 Intermediate. Examples include: call centre agent, clerical worker, nursery auxiliary, office clerk, secretary. (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L7-L9)
- 08 Routine and manual (self employed should not be included in this category). Examples include: electrician, fitter, gardener, inspector, plumber, printer, train driver, tool maker, bar staff,

caretaker, catering assistant, cleaner, farm worker, HGV driver, labourer, machine operative, messenger, packer, porter, postal worker, receptionist, sales assistant, security guard, sewing machinist, van driver, waiter/waitress. (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L10-L13)

- 96 Unable to code (The National Statistics SOCIO-ECONOMIC CLASSIFICATION CODE L16 - Occupations not stated or inadequately described)

Further guidance on coding can be found at [NHS Stop Smoking Services, Services and monitoring guidance - 2007/08](#) and the Office for National Statistics - [The National Statistics Socio-economic Classification \(NS-SEC\)](#).

SOCIO-ECONOMIC CLASSIFICATION CODE (STOP SMOKING)

Change to Data Element: New Data Element

SOCIO-ECONOMIC CLASSIFICATION CODE (STOP SMOKING)

Attribute:

SOCIO-ECONOMIC CLASSIFICATION CODE

STOP SMOKING EXCEPTION VALIDATION INDICATOR

Change to Data Element: New Data Element

Format/length:	an1
HES item:	
National Codes:	
Default Codes:	

Notes:

An indicator of when validation has been conducted for exception reporting on STOP SMOKING SETTING QUIT DATE COUNTS (PREGNANT WOMEN) and STOP SMOKING SUCCESSFULLY QUIT COUNTS (AGE AND GENDER) within particular INTERVENTION SETTINGS or INTERVENTION SESSION TYPES.

STOP SMOKING INTERVENTION SETTING REASON FOR EXCEPTION

Change to Data Element: New Data Element

Format/length:	an200
HES item:	
National Codes:	
Default Codes:	

Notes:

A text string for an exception reason if the success rate for the INTERVENTION SETTING is 35% or below, or 70% and above.

Success rate is calculated as a percentage from the STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION SETTING) divided by STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION SETTING) multiplied by 100.

STOP SMOKING INTERVENTION TYPE REASON FOR EXCEPTION

Change to Data Element: New Data Element

Format/length:	an200
HES item:	
National Codes:	
Default Codes:	

Notes:

A text string for an exception reason if the success rate for the INTERVENTION SESSION TYPE is 35% or below, or 70% and above.

Success rate is calculated as a percentage from the STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION TYPE) divided by STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION TYPE) multiplied by 100.

STOP SMOKING LOST TO FOLLOW-UP COUNT (AGE AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT whose non-smoking status is unknown as it has not been possible to successfully follow-up the PERSON during the REPORTING PERIOD.

That is the total number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who:

- a. have a PERSON STOP SMOKING EPISODE

and

- b. an OUTCOME AT 4 WEEK FOLLOW-UP of National Code 3 'Non-smoking status not known/lost to follow-up'

recorded during the REPORTING PERIOD.

STOP SMOKING LOST TO FOLLOW-UP COUNT (PREGNANT WOMEN)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of pregnant women whose non-smoking status is unknown as it has not been possible to successfully follow-up the PERSON during the REPORTING PERIOD.

That is the total number of PERSONS with:

a. a PREGNANCY STATUS of 'Yes'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. an OUTCOME AT 4 WEEK FOLLOW-UP of National Code 3 *'Non-smoking status not known/lost to follow-up'*

recorded during the REPORTING PERIOD.

STOP SMOKING NOT QUIT AT 4 WEEKS COUNT (AGE AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who, on a self-reporting basis, had not quit smoking 4 weeks after their SMOKING QUIT DATE reported during the REPORTING PERIOD.

That is the total number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of National Code 2 *'Not quit at 4 week follow-up'*

recorded during the REPORTING PERIOD.

STOP SMOKING NOT QUIT AT 4 WEEKS COUNT (PREGNANT WOMEN)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of pregnant women who, on a self-reporting basis, had not quit smoking 4 weeks after their SMOKING QUIT DATE reported during the REPORTING PERIOD.

That is the total number of PERSONS with:

- a. a PREGNANCY STATUS of 'Yes'

who

- b. have a PERSON STOP SMOKING EPISODE

and

- c. an OUTCOME AT 4 WEEK FOLLOW-UP of National Code 2 'Not quit at 4 week follow-up'

recorded during the REPORTING PERIOD.

STOP SMOKING QUIT CONFIRMED COUNT (AGE AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who have been confirmed as having successfully quit smoking 4 weeks after their SMOKING QUIT DATE reported during the REPORTING PERIOD.

That is the total number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who:

- a. have a PERSON STOP SMOKING EPISODE

and

- b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up'

and

c. a NON SMOKING CONFIRMATION STATUS AT 4 WEEKS of 'Non-smoking status confirmed by CO validation'

recorded during the REPORTING PERIOD.

STOP SMOKING QUIT CONFIRMED COUNT (PREGNANT WOMEN)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of pregnant women who have been confirmed as having successfully quit smoking 4 weeks after their SMOKING QUIT DATE reported during the REPORTING PERIOD.

That is the total number of PERSONS with:

a. a PREGNANCY STATUS of 'Yes'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up'

and

d. a NON SMOKING CONFIRMATION STATUS AT 4 WEEKS of 'Non-smoking status confirmed by CO validation'

recorded during the REPORTING PERIOD.

STOP SMOKING SERVICE CUMULATIVE TOTAL SPEND

Change to Data Element: New Data Element

Format/length:	n8
HES item:	
National Codes:	
Default Codes:	

Notes:

The FINANCIAL AMOUNT for the FINANCIAL ALLOCATION OR SPEND TYPE of 'Cumulative total spend' for a Stop Smoking Service to the nearest pound. That is the cumulative total spend at the end of the REPORTING PERIOD for the current financial year to date.

STOP SMOKING SERVICE OTHER FINANCIAL ALLOCATION

Change to Data Element: New Data Element

Format/length:	n8
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the FINANCIAL AMOUNT for the FINANCIAL ALLOCATION OR SPEND TYPE of 'Other financial allocation including any underspend carried over from a previous REPORTING PERIOD' for a Stop Smoking Service to the nearest pound within the REPORTING PERIOD.

STOP SMOKING SERVICE PCT FINANCIAL ALLOCATION

Change to Data Element: New Data Element

Format/length:	n8
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the FINANCIAL AMOUNT for the FINANCIAL ALLOCATION OR SPEND TYPE of 'Financial allocation to Primary Care Trusts for the REPORTING PERIOD' for a Stop Smoking Service to the nearest pound within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (AGE AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who:

- a. have a PERSON STOP SMOKING EPISODE

and

- b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (AID)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS using a particular PHARMACOTHERAPY STOP SMOKING AID RECEIVED who:

a. have a PERSON STOP SMOKING EPISODE

and

b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (ETHNIC CATEGORY AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS with a particular ETHNIC CATEGORY and PERSON GENDER CURRENT who:

a. have a PERSON STOP SMOKING EPISODE

and

b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (FREE PRESCRIPTION)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

That is the total number of PERSONS with:

a. a FREE PRESCRIPTIONS INDICATOR of National Code 01 'Eligible for free prescriptions'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION SETTING)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS treated within a particular INTERVENTION SETTING (STOP SMOKING) who:

a. have a PERSON STOP SMOKING EPISODE

and

b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (INTERVENTION TYPE)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS with a particular INTERVENTION SESSION TYPE (STOP SMOKING) who:

a. have a PERSON STOP SMOKING EPISODE

and

b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (PREGNANT WOMEN)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS with:

a. a PREGNANCY STATUS of 'Yes'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SETTING QUIT DATE COUNT (SOCIO ECONOMIC CLASSIFICATION)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the total number of PERSONS within a SOCIO-ECONOMIC CLASSIFICATION who:

a. have a PERSON STOP SMOKING EPISODE

and

b. a SMOKING QUIT DATE

within the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (AGE AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS within an AGE BAND AT SMOKING QUIT DATE and PERSON GENDER CURRENT who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (AID)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS who has had a particular PHARMACOTHERAPY STOP SMOKING AID RECEIVED who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS with a particular PHARMACOTHERAPY STOP SMOKING AID RECEIVED who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (ETHNIC CATEGORY AND GENDER)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within an ETHNIC CATEGORY and PERSON GENDER CURRENT who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS within an ETHNIC CATEGORY and PERSON GENDER CURRENT who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (FREE PRESCRIPTION)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS with a FREE PRESCRIPTIONS INDICATOR of National Code 01 'Eligible for free prescriptions' who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS with:

a. a FREE PRESCRIPTIONS INDICATOR of National Code 01 'Eligible for free prescriptions'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION SETTING)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within a particular INTERVENTION SETTING who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS within a particular INTERVENTION SETTING who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (INTERVENTION TYPE)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS being treated by a INTERVENTION SESSION TYPE who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the total number of PERSONS being treated by a INTERVENTION SESSION TYPE who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (PREGNANT WOMEN)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of pregnant women who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the number of PERSONS with:

a. a PREGNANCY STATUS of 'Yes'

who

b. have a PERSON STOP SMOKING EPISODE

and

c. an OUTCOME AT 4 WEEK FOLLOW-UP of 'Successfully quit at 4 week follow-up (self-report)'

recorded during the REPORTING PERIOD.

STOP SMOKING SUCCESSFULLY QUIT COUNT (SOCIO ECONOMIC CLASSIFICATION)

Change to Data Element: New Data Element

Format/length:	n6
HES item:	
National Codes:	
Default Codes:	

Notes:

This is the number of PERSONS within a particular SOCIO-ECONOMIC CLASSIFICATION who, on a self-reporting basis, successfully quit smoking 4 weeks after their SMOKING QUIT DATE, reported during the REPORTING PERIOD.

That is the number of PERSONS within a particular SOCIO-ECONOMIC CLASSIFICATION who:

a. have a PERSON STOP SMOKING EPISODE

and

b. an OUTCOME AT 4 WEEK FOLLOW-UP of '*Successfully quit at 4 week follow-up (self-report)*'

recorded during the REPORTING PERIOD.

O

Change to Package: New Package

P

Change to Package: New Package

Q

Change to Package: New Package

For enquiries about this Data Set, please contact alyson.whitmarsh@ic.nhs.uk