

NHS Services Seven Days a Week Forum: Clinical Standards

1. Patient experience	<p>Patients, and where appropriate families and carers, must be actively involved in shared decision making and supported by clear information from health and social care professionals to make fully informed choices about investigations, treatment and on-going care that reflect what is important to them. This should happen consistently, seven days a week.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • Patients must be treated with dignity, kindness, compassion, courtesy, respect, understanding and honesty at all times. • The format of information provided must be appropriate to the patient's needs and include acute conditions. • With the increasing collection of real-time feedback, it is expected that hospitals are able to compare feedback from weekday and weekend admissions and display publicly in ward areas.
2. Time to first consultant review	<p>All emergency admissions must be seen and have a thorough clinical assessment by a suitable consultant as soon as possible but at the latest within 14 hours of arrival at hospital.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • All patients to have a National Early Warning Score (NEWS) established at the time of admission. • Consultant involvement for patients considered 'high risk' (defined as where the risk of mortality is greater than 10%, or where a patient is unstable and not responding to treatment as expected) should be within one hour. • All patients admitted during the period of consultant presence on the acute ward (normally at least 08.00-20.00) should be seen and assessed by a doctor, or advanced non-medical practitioner with a similar level of skill promptly, and seen and assessed by a consultant within six hours. • Standards are not sequential; clinical assessment may require the results of diagnostic investigation. • A 'suitable' consultant is one who is familiar with the type of emergency presentations in the relevant specialty and is able to initiate a diagnostic and treatment plan. • The standard applies to emergency admissions via any route, not just the Emergency Department. • For emergency care settings without consultant leadership, review is undertaken by appropriate senior clinician e.g. GP-led inpatient units.

3. MDT review	<p>All emergency inpatients must be assessed for complex or on-going needs within 14 hours by a multi-professional team, overseen by a competent decision-maker, unless deemed unnecessary by the responsible consultant. An integrated management plan with estimated discharge date and physiological and functional criteria for discharge must be in place along with completed medicines reconciliation within 24 hours.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • The MDT will vary by specialty but as a minimum will include Nursing, Medicine, Pharmacy, Physiotherapy and for medical patients, Occupational Therapy. • Other professionals that may be required include but are not limited to: dietitians, podiatrists, speech and language therapy and psychologists and consultants in other specialist areas such as geriatrics. • Reviews should be informed by patients existing primary and community care records. • Appropriate staff must be available for the treatment/management plan to be carried out
4. Shift handovers	<p>Handovers must be led by a competent senior decision maker and take place at a designated time and place, with multi-professional participation from the relevant in-coming and out-going shifts. Handover processes, including communication and documentation, must be reflected in hospital policy and standardised across seven days of the week.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • Shift handovers should be kept to a minimum (recommended twice daily) and take place in or adjacent to the ward or unit. • Clinical data should be recorded electronically, according to national standards for structure and content and include the NHS number.
5. Diagnostics	<p>Hospital inpatients must have scheduled seven-day access to diagnostic services such as x-ray, ultrasound, computerised tomography (CT), magnetic resonance imaging (MRI), echocardiography, endoscopy, bronchoscopy and pathology. Consultant-directed diagnostic tests and completed reporting will be available seven days a week:</p> <ul style="list-style-type: none"> • Within 1 hour for critical patients • Within 12 hours for urgent patients • Within 24 hours for non-urgent patients

	<p>Supporting information:</p> <ul style="list-style-type: none"> • It is expected that all hospitals have access to radiology, haematology, biochemistry, microbiology and histopathology • Critical patients are considered those for whom the test will alter their management at the time; urgent patients are considered those for whom the test will alter their management but not necessarily that day. • Standards are not sequential; if critical diagnostics are required they may precede the thorough clinical assessment by a suitable consultant in standard 2. • Investigation of diagnostic results should be seen and acted on promptly by the MDT, led by a competent decision maker. • Where a service is not available on-site (e.g. interventional radiology/endoscopy or MRI), clear patient pathways must be in place between providers. • Seven-day consultant presence in the radiology department is envisaged. • Non-ionizing procedures may be undertaken by independent practitioners and not under consultant direction.
6. Intervention / key services	<p>Hospital inpatients must have timely 24 hour access, seven days a week, to consultant-directed interventions that meet the relevant specialty guidelines, either on-site or through formally agreed networked arrangements with clear protocols, such as:</p> <ul style="list-style-type: none"> • Critical care • Interventional radiology • Interventional endoscopy • Emergency general surgery <p>Supporting information:</p> <ul style="list-style-type: none"> • Standards are not sequential; if an intervention is required it may precede the thorough clinical assessment by a suitable consultant in standard 2. • Other interventions may also be required. For example, this may include: <ul style="list-style-type: none"> o Renal replacement therapy o Urgent radiotherapy o Thrombolysis o PCI o Cardiac pacing

7. Mental Health	<p>Where a mental health need is identified following an acute admission the patient must be assessed by psychiatric liaison within the appropriate timescales 24 hours a day, seven days a week:</p> <ul style="list-style-type: none"> • Within 1 hour for emergency* care needs • Within 14 hours for urgent** care needs <p>Supporting information:</p> <ul style="list-style-type: none"> • Unless the liaison team provides 24 hour cover, there must be effective collaboration between the liaison team and out-of-hours services (e.g. Crisis Resolution Home Treatment Teams, on-call staff, etc.) <p>* An acute disturbance of mental state and/or behaviour which poses a significant, imminent risk to the patient or others.</p> <p>** A disturbance of mental state and/or behaviour which poses a risk to the patient or others, but does not require immediate mental health involvement.</p>
8. Ongoing review	<p>All patients on the AMU, SAU, ICU and other high dependency areas must be seen and reviewed by a consultant twice daily, including all acutely ill patients directly transferred, or others who deteriorate. To maximise continuity of care consultants should be working multiple day blocks.</p> <p>Once transferred from the acute area of the hospital to a general ward patients should be reviewed during a consultant-delivered ward round at least once every 24 hours, seven days a week, unless it has been determined that this would not affect the patient's care pathway.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • Patients, and where appropriate carers and families, must be made aware of reviews. Where a review results in a change to the patient's management plan, they should be made aware of the outcome and provided with relevant verbal, and where appropriate written, information. • Inpatient specialist referral should be made on the same day as the decision to refer and patients should be seen by the specialist within 24 hours or one hour for high risk patients (defined as where the risk of mortality is greater than 10%, or where a patient is unstable and not responding to treatment as expected). • Consultants 'multiple day blocks' should be between two and four continuous days. • Ward rounds are defined as a face-to-face review of all patients and include members of the nursing team to ensure proactive management and transfer of information. • Once admitted to hospital, patients should not be transferred between wards unless their clinical needs demand it. • The number of handovers between teams should be kept to a minimum to maximise patient continuity of care.

	<ul style="list-style-type: none"> • Where patients are required to transfer between wards or teams, this is prioritised by staff and supported by an electronic record of the patient's clinical and care needs. • Inpatients not in high dependency areas must still have daily review by a competent decision-maker. This can be delegated by consultants on a named patient basis. The responsible consultant should be made aware of any decision and available for support if required.
9. Transfer to community, primary and social care	<p>Support services, both in the hospital and in primary ,community and mental health settings must be available seven days a week to ensure that the next steps in the patient's care pathway, as determined by the daily consultant-led review, can be taken.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • Primary and community care services should have access to appropriate senior clinical expertise (e.g. via phone call), and where available, an integrated care record, to mitigate the risk of emergency readmission. • Services include pharmacy, physiotherapy, occupational therapy, social services, equipment provision, district nursing and timely and effective communication of on-going care plan from hospital to primary, community and social care. • Transport services must be available to transfer, seven days a week. • There should be effective relationships between medical and other health and social care teams.
10. Quality Improvement	<p>All those involved in the delivery of acute care must participate in the review of patient outcomes to drive care quality improvement. The duties, working hours and supervision of trainees in all healthcare professions must be consistent with the delivery of high-quality, safe patient care, seven days a week.</p> <p>Supporting information:</p> <ul style="list-style-type: none"> • The review of patient outcomes should focus on the three pillars of quality care: patient experience, patient safety and clinical effectiveness. • Attention should be paid to ensure the delivery of seven day services supports training that is consistent with General Medical Council and Health Education England recommendations and that trainees learn how to assess, treat and care for patients in emergency as well as elective settings. • All clinicians should be involved in the review of outcomes to facilitate learning and drive quality improvements.