

Conception statistics: Metadata

February 2014

Office for National Statistics



A National Statistics publication

National Statistics are produced to high professional standards set out in the Code of Practice for Official Statistics. They are produced free from political influence. The United Kingdom Statistics Authority has designated these statistics as National Statistics, in accordance with the Statistics and Registration Service Act 2007 and signifying compliance with the Code of Practice for Official Statistics.

Designation can be broadly interpreted to mean that the statistics:

- meet identified user needs;
- are well explained and readily accessible;
- are produced according to sound methods, and
- are managed impartially and objectively in the public interest.

Once statistics have been designated as National Statistics it is a statutory requirement that the Code of Practice shall continue to be observed.

About us

The Office for National Statistics

The Office for National Statistics (ONS) is the executive office of the UK Statistics Authority, a non-ministerial department which reports directly to Parliament. ONS is the UK government's single largest statistical producer. It compiles information about the UK's society and economy, and provides the evidence-base for policy and decision-making, the allocation of resources, and public accountability. The Director-General of ONS reports directly to the National Statistician who is the Authority's Chief Executive and the Head of the Government Statistical Service.

The Government Statistical Service

The Government Statistical Service (GSS) is a network of professional statisticians and their staff operating both within the Office for National Statistics and across more than 30 other government departments and agencies.

Contacts

This publication

For information about the content of this publication, contact Vital Statistics Outputs Branch

Tel: +44 (0)1329 444110

Email: vsob@ons.gsi.gov.uk

Other customer enquiries

ONS Customer Contact Centre

Tel: 0845 601 3034

International: +44 (0)845 601 3034

Minicom: 01633 815044

Email: info@statistics.gsi.gov.uk

Fax: 01633 652747

Post: Room 1.101, Government Buildings,
Cardiff Road, Newport, South Wales NP10 8XG
www.ons.gov.uk

Media enquiries

Tel: +44 (0)845 604 1858

Email: press.office@ons.gsi.gov.uk

Copyright and reproduction

© Crown copyright 2014

You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence.

To view this licence, go to:

www.nationalarchives.gov.uk/doc/open-government-licence/

or write to the Information Policy Team, The National Archives, Kew, London TW9 4DU

email: psi@nationalarchives.gsi.gov.uk

Any enquiries regarding this publication should be sent to: info@statistics.gsi.gov.uk

This publication is available for download at:
www.ons.gov.uk

Contents

| | Page |
|---|-----------|
| 1 Introduction | 2 |
| 1.1 Symbols and conventions | 2 |
| 1.2 Legislation | 3 |
| 1.3 Information used to compile conception statistics | 4 |
| 1.4 Issues affecting the quality of the data in this volume | 4 |
| 2 Notes and definitions | 6 |
| 2.1 Base populations | 6 |
| 2.2 Areal coverage | 6 |
| 2.3 Estimating the date of conception | 7 |
| 2.4 Estimating a woman's age at conception | 7 |
| 2.5 Conceptions within and outside marriage/civil partnership | 8 |
| 2.6 Further information | 9 |
| 2.7 Associated publications and the ONS website | 9 |
| 2.8 Other publications | 10 |
| References | 11 |
| Glossary | 11 |

1 Introduction

This document provides supporting information on estimated conceptions for women usually resident in England and Wales.

Conception statistics are estimates. Conceptions include maternities (the number of pregnant women who give birth) and abortions. This information is obtained from administrative sources: abortion notifications and birth registrations. Conception statistics do not include miscarriages, or illegal abortions.

Throughout the year provisional quarterly figures for conceptions are released on the ONS website. The quarterly releases provide:

- i) [Quarterly Conceptions to Women aged Under-18 by Local Authority](#) (down to counties, unitary authorities and metropolitan county districts) in England and Wales for each quarter, conception rates are also provided where area of usual residence is within England, and
- ii) [Conceptions by Age, Year and Quarter](#) (number, rate and the percentage of conceptions leading to abortion) for England, Wales and England and Wales.

Following [the review of conception outputs in 2011](#), [Annual Conception Statistics](#) are released in February/March (around 14 months after the end of the data year). Prior to 2009, annual data were released twice a year: a provisional annual release in February/March and a final annual data release in the Annual Reference Volume Conception statistics, published in the autumn. By moving to one annual release a year the cost of producing conception statistics has been reduced without a significant impact on data quality.

Prior to the 2005 data year (published in 2007), conception statistics were released as a supplement to [Birth Statistics \(Series FM1\)](#), rather than in a standalone volume.

[Annual Abortion Statistics](#) are published by the Department of Health by: age of woman; number of previous abortions; length of gestation; source of funding; health area of usual residence of woman; method of abortion; ethnicity of woman and grounds for abortion.

Conception statistics are produced by the Office for National Statistics (ONS). National Statistics are produced to high professional standards set out in the [Code of Practice for Official Statistics](#). They undergo regular quality assurance reviews to ensure that they meet customer needs. They are produced free from any political influence.

1.1 Symbols and conventions

In conception statistics publications:

- : denotes not applicable
- .. denotes not available
- denotes nil.
- * denotes not available (to protect confidentiality)

Data displaying conception statistics as counts and rates cannot be used to disclose information on abortions. Therefore, for conceptions leading to abortions, counts less than ten and rates based on fewer than ten events are suppressed. To protect the confidentiality of conceptions data, all counts lower than five, and all rates based on fewer than five events are also suppressed. Occasionally it is necessary to apply a secondary suppression to avoid the possibility of disclosure by differencing.

Rates and percentages calculated using between 5 and 20 events are distinguished by italic type as a warning to users that their reliability as a measure may be affected by the small number of events.

Figures in some tables may not add precisely due to rounding.

1.2 Legislation

The existing provisions for the registration of births and the processing, reporting and analysis of births data appear in different legislation that reflects the distinct and separate roles of the Registrar General for England and Wales and the UK Statistics Authority. The Registrar General is guided by the following:

- **Births and Deaths Registration Act 1953**, which covers all aspects of the registration of births and stillbirths.
- **Population (Statistics) Act 1938**, which deals with the statistical information collected at registration.
- **Population (Statistics) Act 1960**, which makes further provision for collecting statistical detail at registration.
- **Registration of Births, Deaths and Marriages Regulations 1968**, which added questions on father's and mother's place of birth to the details requested at registration.
- **Still-Birth (Definition) Act 1992**, which altered the definition of a stillbirth to 24 or more weeks completed gestation, instead of the previous definition of 28 or more weeks completed gestation.
- **National Health Service Act 2006 and National Health Service (Wales) Act 2006** which consolidate legislation relating to the Health Service and separate provision of the health service in Wales from that in England. The Acts require notification of a birth to the relevant body or bodies where the birth occurred as may be determined in accordance with regulations. Both Acts include provisions both for the supply of information about birth notifications by the National Health Service (NHS) and the supply of information on individual registered births by the Registrar General to the NHS.
- **Human Fertilisation and Embryology Act 2008**, which gave provision for same-sex female couples to jointly register the birth of a child as mother and parent. It also allows for two men to obtain a parental order through the courts to be officially registered as the parents of a child post-registration

The UK Statistics Authority is guided by the following:

- **Registration Service Act 1953**, as amended by the **Statistics and Registration Services Act 2007**, which in section 19 requires the UK Statistics Authority to provide annual abstracts of live births and stillbirths.
- **Abortion Act 1967**, which permits termination of pregnancy by a registered practitioner, subject to certain conditions and the Abortion Regulations 1991, that enables the Chief Medical Officers to supply information about abortions to the UK Statistics Authority.
- **Human Fertilisation and Embryology Act 1990**, Section 37 made changes to the Abortion Act 1967.
- **Statistics and Registration Service Act 2007**, which created the Statistics Board, now known as the UK Statistics Authority, and defined its functions and powers.

1.3 Information used to compile conception statistics

Conception statistics bring together records of birth registrations collected under the Births and Deaths Registration Act 1953 and of abortion notifications supplied under the Abortion Act 1967. They include all the pregnancies of women resident in England and Wales which lead to one of the following outcomes:

- (i) a maternity at which one or more live births or stillbirths occur, which is registered in England and Wales
- (ii) a termination of a pregnancy by abortion under the 1967 Act, which takes place in England and Wales. Pregnancies which lead to spontaneous abortions (that is, miscarriages) are not included.

Maternities which result in one or more live births or stillbirths are counted once only.

Maternities data

The registration of life events (births, deaths, marriages and civil partnerships) is a service carried out by the Local Registration Service in partnership with the General Register Office (GRO) in Southport. Most of the information, for both live births and stillbirths, is supplied to registrars by one or both of the parents.

For stillbirths, details of cause of death, duration of pregnancy (gestation) and weight of foetus are supplied on a certificate or notification by the doctor or midwife either present at the birth, or who examined the body. The certificate or notification is then taken by the informant to a registrar.

For all births the **mother's usual address** is entered, as is that of the informant where appropriate. This information is used for tables showing usual residence of mother. Informants are also required to provide further information, treated as confidential, under the provisions of the Population (Statistics) Acts. The items relevant to this publication are listed below:

- (i) the **mother's date of birth**
- (ii) the **date of the parents' marriage/civil partnership**, if the child's parents were married/in a civil partnership with each other at the time of birth

The notification of a birth to the relevant body or bodies where the birth occurred as may be determined in accordance with regulations is required under the National Health Service Act 2006 and National Health Service (Wales) Act 2006. The acts include provisions for the supply of information about birth notifications by the National Health Service (NHS) to the Registrar General.

Abortions data

Information on abortions is derived from notifications supplied under the Abortion Act 1967. These are sent by registered practitioners to the Chief Medical Officer of the Department of Health, or to the Chief Medical Officer of the Welsh Government. The details supplied include the woman's date of birth, marital status and usual residence. Further details on abortion notifications can be found on the [Department of Health website](#).

1.4 Issues affecting the quality of conception statistics

Conceptions statistics are estimates which are derived by combining maternities (the number of pregnant women who give birth) and abortions. Conception statistics do not include miscarriages or illegal abortions. It is estimated that one in five confirmed pregnancies will end in miscarriage ([NHS Choices](#)). It is impossible to determine the extent of illegal abortions, for example, by women using drugs bought off the Internet. The only statistics available are where complications arise from illegal abortions resulting in illness or death. In 1965, before abortion was legalised, the number of women discharged from hospital with post-abortion sepsis was 3,050; in 1982 it was 390 ([Steel](#)).

[1990](#)). In the three years from 1961 to 1963, 139 women were recorded as dying as a result of abortions ([Centre for Maternal and Child Enquiries \(CMACE\), 2004](#)). For the three years from 2006 to 2008, the figure was zero ([CMACE, 2011](#)). Given the steady rise in numbers of legal abortions since 1968, and the improvements in access to abortion it can be assumed that the vast majority of abortions carried out in England and Wales today are legal ones ([Abortion Review, 2012](#)).

To enable the publication of conception statistics the date of conception and the woman's age at conception need to be estimated. The estimation methods used are detailed later in this document.

Other issues which have affected the quality of conception statistics in the past are detailed below:

Registration Online (RON)

In November 2006 a pilot for a web-based Registration Online system for births and deaths (RON), commenced in five registration districts. This enabled registrars to record births, stillbirths and deaths online. Following the success of this pilot, RON was implemented in most register offices on 26 March 2007. However, as a result of significant performance problems, the system was suspended on 10 April 2007 resulting in around half of registrars reverting back to using the previous electronic system, Registration Service Software (RSS).

From 8 May 2007, almost all register offices were submitting data electronically using either RON or RSS. Any remaining birth registrations that were held only on paper at register offices were later entered onto the RON system at ONS, or by the local registration service. Once all the birth records were available electronically, a rigorous statistical quality assurance process was completed by ONS.

Work to improve the performance of RON continued throughout 2008. During this time a further 15 registration districts moved back onto RON. By the end of 2008, 56 per cent of registration districts were using RON for birth and death registrations.

The RON system was fully rolled out on 1 July 2009 with all register offices using it to record births from this date. With the introduction of RON, it has become possible to carry out some additional validation checks at the point of registration, such as, validation of address and postcode.

Maternities data

Maternities data included in ONS Conception Statistics have been derived from the ONS births database. Where the mother's date of birth was not stated at registration it was obtained by ONS from the corresponding birth notification record. Where this is not possible and the birth is in a finalised births dataset, the age of mother is imputed using Canadian Census Edit and Imputation System (CANCEIS) ([Statistics Canada, 2001](#)). This system works by selecting the most appropriate donor record from the entire annual dataset.

| Year of conception | Records with mother's date of birth not stated at registration | |
|--------------------|--|--|
| | Percentage | Percentage still missing following birth notification matching |
| 2012 | 0.4 | 0.04 |
| 2011 | 0.3 | 0.07 |
| 2010 | 0.3 | 0.04 |
| 2009 | 0.3 | 0.03 |
| 2008 | 0.7 | 0.2 |
| 2007 | 1.1 | 0.2 |
| 2006 | 2.2 | 0.5 |

Conception statistics for 2009 onwards by age exclude maternities where the mother's age was not recorded and the birth occurred in the subsequent calendar year to the conception. This is because CANCEIS imputation is only run once an annual births dataset is finalised. Since 2009 the final conception statistics have been released before the annual births dataset has been finalised for the subsequent calendar year to the date of conception. The impact on conception statistics is negligible since the percentage of records where age of mother remains missing following birth notification matching is very small. No statistical bias is introduced by excluding this small number of conceptions from the annual figures by age group as the records missing age of mother are distributed across all areas of England and Wales. The impact on the comparability of statistics over time and between areas is negligible.

Abortions data

Under arrangements made following implementation of the Abortion Act 1967, the Office for National Statistics and its predecessors processed and analysed the abortion notification forms (HSA4) sent to the Chief Medical Officers of England and Wales. From 1 April 2002, responsibility was transferred to the Department of Health where a new system was introduced to process the new abortion notification forms that were made available from 18 April 2002. The collection of marital status information was affected in the changeover between the old and the new abortion notification form. There were some discontinuities in the recording and coding of marital status in the 2002 abortions data following the introduction of the new form. For further details see section 1.3 of [Conception statistics 2002](#).

Further information on the quality of conception statistics

The [Quality and Methodology Information](#) document for conception statistics provides overview notes which pull together key qualitative information on the various dimensions of quality as well as providing a summary of methods used to compile the output.

2 Notes and definitions

2.1 Base populations

The population estimates which are used to calculate conception rates are mid-year estimates of the resident population of England and Wales based on the Census of Population. ONS mid-year population estimates are updated figures using the most recent Census, allowing for births, deaths, net migration and ageing of the population.

The population estimates used are the most up-to-date when rates are produced. The specific population estimates used to calculate rates are detailed alongside published tables. Sometimes it is necessary to revise conception rates following population estimate revisions. Any revisions to conception rates are footnoted on tables.

Further information on [population estimates](#), and their methodology, can be found on the ONS website.

2.2 Areal coverage

Conception figures include only live births, stillbirths and abortions that occurred in England and Wales to women usually resident in England and Wales.

Numbers and rates of conceptions are given by the woman's area of usual residence based on area boundaries in place during the year after the conception occurred, so 2012 conceptions will be to 2013 boundaries. The postcode of the woman's address at the time of the maternity or abortion is used to assign the area of usual residence at the time of the conception.

Until the 2009 data year for conceptions, ONS assigned 'area of usual residence' using a look-up product (the National Statistics Postcode Directory). This product associated postcodes with a

number of geographical levels (for example, local authority, region). The postcode was allocated to each level of geography using a point-in-polygon methodology. Although this method is spatially accurate, it does not provide the stable building blocks needed for comparing geographies at different levels.

From the 2010 data year for conceptions, ONS has assigned 'area of usual residence' by first linking each postcode to an output area using this same point-in-polygon methodology, and then linking to all higher geographies by using a population weighted, best-fit look-up to output area. This means that postcodes are allocated to a higher geography based on where the output area population weighted centroid lies. This is in line with the [Geography Policy for National Statistics](#).

Switching to the new area allocation method has negligible impact on conception statistics down to local authority level. However, the new method improves comparability of conception statistics for sub-national areas over time.

For more information about these methods, see [National Statistics Postcode Products](#) on the ONS website. ONS published [Assigning Life Events data to sub-national areas: an assessment of a change to the methodology](#) in 2013.

2.3 Estimating the date of conception

Information on the exact date of conception cannot be obtained from the registration details for either births or abortions. Date of conception is estimated by subtracting the gestation period from the baby's date of birth or the date of termination.

Maternities (one or more live births)

Conception is assumed to occur 14 days (2 weeks) after the start of the last menstrual period and the time between the last menstrual period and birth is assumed as 40 weeks (referred to as gestational age). Therefore the length of pregnancy from conception to birth is assumed to be 38 weeks (40 weeks minus two weeks) for all maternities with one or more live births.

Maternities (all stillbirths)

Gestational age is recorded at the registration of a stillbirth. The date of conception is estimated as date of birth minus stated gestational age plus two weeks to allow for time to conceive.

For example, if a gestational age is 30 weeks and the date of birth is 10 October, then date of conception is (10 October - 30 weeks) + 2 weeks

14 March + 2 weeks = 28 March

On the few records where gestational age is not recorded or available at registration, the length of pregnancy from conception to stillbirth is assumed to be 33 weeks.

Abortions

For conceptions in 1980 and earlier years, the date of conception is taken as the date of the start of the last menstrual period, plus 2 weeks. For conceptions in 1981 and subsequent years, gestational age has been collected on all notifications of abortions. The date of conception for abortions is therefore estimated as the date of termination less the stated gestational age plus two weeks to allow for conception.

For example, if a gestational age is 10 weeks and date of termination is 10 October, then date of conception is (10 October - 10 weeks) + 2 weeks

1 August + 2 weeks = 15 August

2.4 Estimating a woman's age at conception

A woman's age at conception is estimated from her date of birth, as stated on the birth registration or abortion notification, together with the estimated date of conception. Where the mother's date of birth is not stated at registration it is obtained by ONS from the corresponding birth notification

record. Where this is not possible and the birth is in a finalised births dataset, the age of mother is imputed using Canadian Census Edit and Imputation System ([Statistics Canada, 2001](#)). This system works by selecting the most appropriate donor record from the entire annual dataset (see section 1.4 for more detail). In the small number of cases of abortions where the woman's date of birth was not recorded, the case is not used for statistical analysis.

The woman's age at conception is calculated as the interval in complete years between her date of birth and the date she conceived (estimated as described in section 2.3 above). However, where conception occurs in the same calendar month as the woman's birthday, this can result in the estimated age of mother at conception being either a year too low – if the baby is born live after less than 38 weeks – or a year too high – if the baby is born live at over 38 weeks. The method for estimating a woman's age at conception in such cases was revised in 1999 to take into account the mother's day of birth and day of conception in addition to the month and year as used previously. This resulted in a revision to figures published before 1999. A full explanation can be found in [Birth statistics 1998](#).

2.5 Conceptions within and outside marriage/civil partnership

Since 1 September 2009, following the implementation of the Human Fertilisation and Embryology Act (2008), same-sex female couples have been able to register the birth of a child as mother and second parent. The Act also made provision for two men to be officially recognised as the parents of a child through the provision of a parental order, obtainable through the courts. Abortion notifications also contain information about whether the woman was in a civil partnership.

A birth within marriage/civil partnership is that of a child born to parents who were lawfully married/in a civil partnership with each other either:

- (a) at the date of the child's birth, or
- (b) when the child was conceived, even if they later divorced/were granted a civil partnership dissolution or the father/second parent died before the child's birth.

For a birth within marriage/civil partnership the registrar will enter confidential particulars collected under the Population (Statistics) Acts on to RON. These particulars relate to the date of the parents' marriage/civil partnership and, if married, whether the mother has been married more than once and the number of the mother's previous live-born and stillborn children.

Births occurring outside marriage/civil partnership may be registered either jointly or solely. A joint registration records details of both parents, and requires them both to be present. A sole registration records only the mother's details. Conceptions outside marriage/civil partnership which lead to maternities within marriage/civil partnership are restricted here to those where the birth occurred within eight months (35 weeks) of marriage/civil partnership. However, the date of conception and age of woman at conception are estimated from a date 38 weeks before birth, as in the case of all other conceptions leading to live births.

For abortions coded on the old form HSA4 originating from ONS, the categories of marital status were (a) single, (b) married, (c) widowed, (d) divorced and (e) separated. For abortions coded on the new form HSA4 originating from Department of Health, marital status was reclassified as (a) single no partner, (b) married, (c) single with partner, (d) single not known, (e) divorced, (f) widowed (g) separated and (h) civil partnered. To calculate rates separated mothers are included with married mothers because there are no official population estimates for the 'separated' marital status category.

Due to the small number of conceptions to same-sex couples to date, conceptions within a civil partnership are included with conceptions within marriage. Conceptions to a same-sex couple outside of a civil partnership are included with conceptions outside marriage. Tables are footnoted to show the number of conceptions to same-sex couples.

2.6 Further information

Requests for conceptions data, as well as background information on this volume, and on data quality, should be made to:

Vital Statistics Outputs Branch
Office for National Statistics
Segensworth Road
Titchfield
Fareham
Hants PO15 5RR

Telephone: +44 (0)1329 444110
email: vsob@ons.gsi.gov.uk

The [ONS charging Policy](#) is available on the ONS website

Special extracts and tabulations of conception statistics for England and Wales are available to order (subject to legal frameworks, disclosure control, resources and agreement of costs, where appropriate). Such enquiries should be made using the contact details above.

We welcome feedback from users on the content, format and relevance of this release. Please send feedback to the postal or email address above

The [Quality and Methodology Information](#) document for conception statistics provides overview notes which pull together key qualitative information on the various dimensions of quality as well as providing a summary of methods used to compile the output.

2.7 Associated publications and the ONS website

[The ONS website](#) provides a comprehensive source of freely available statistics and ONS products. More information on the statistics can be obtained from the contact in section 2.6. Detailed conception figures, including quarterly conceptions to women aged under 18, are published regularly on the website. Conceptions data for females aged under 18 at ward level in three year aggregates (2000–2002 and 2001–2003) are available on the [Neighbourhood Statistics website](#).

Figures for UK countries

Conception statistics in Scotland have been produced to a revised methodology since 2007 to become more comparable with those in England and Wales. Prior to this they included therapeutic miscarriages which required a hospital stay and were based on financial years rather than calendar years. For Scotland, conception figures are available for women aged under 16, under 18 and under 20. More information on Scottish conception figures and the differences in methodology can be found on the [ISD Scotland website](#).

In Northern Ireland it is lawful to perform an operation for the termination of a pregnancy, where:

- it is necessary to preserve the life of the woman, or
- there is a risk of real and serious adverse effect on her physical or mental health, which is either long term or permanent.

In any other circumstance it would be unlawful to perform such an operation. Due to the small numbers of abortions carried out in Northern Ireland each year, and in order to protect patient confidentiality, information on terminations of pregnancy is only released at Northern Ireland and Health and Social Care (HSC) Trust level. Further information on the number of terminations of pregnancy carried out in Northern Ireland can be found on the [Department of Health, Social Services and Public Safety's website](#).

Reports on conceptions and births

Statistical bulletins providing supporting commentary for [the annual release of conception statistics](#) from 2009 onwards are available on the ONS website under the relevant release edition. Statistical bulletins for 2007 and 2008 can be found under [Conception Summary Tables](#) – a release which has now been discontinued.

Between 1999 and 2011, ONS published two quarterly journals: [Population Trends](#), with an emphasis on population and demography, covering most fertility topics, and [Health Statistics Quarterly](#), covering mortality and health topics, including conceptions, abortions, and some other fertility data. Annual reports on conceptions in England and Wales were linked into [Health Statistics Quarterly](#).

Prior to 1999 ONS published annual reports summarising patterns and trends, in [Birth Statistics \(Series FM1\)](#), for conceptions and live births. These contained basic information on annual conceptions and birth statistics, and were issued soon after the data became available.

2.8 Other publications

Some other background publications on conceptions are listed below. Most are from the journals [Population Trends](#) and [Health Statistics Quarterly](#), and where not available on the National Statistics website may be obtained from ONS.

Babb, P. (1993). 'Teenage conceptions and fertility in England and Wales, 1971–91'. *Population Trends* 74, pp 12–17.

Botting, B. and Dunnell, K. (2000). '[Trends in fertility and contraception in the last quarter of the 20th century](#)'. *Population Trends* 100, pp 32–40.

Dattani, N. and Chow, Y.H. (2009). '[Estimating conception statistics using gestational age information from NHS Numbers for Babies data](#)'. *Health Statistics Quarterly* 41, pp 21–27.

Dattani, N. Sheers, D. and Uren, Z. (2007). '[Teenage conceptions by small area deprivation in England and Wales, 2001–2002](#)'. *Health Statistics Quarterly* 33, pp 34–39.

Griffiths, C. and Kirby, L. (2000). '[Geographic variations in conceptions to women aged under 18 in Great Britain during the 1990s](#)'. *Population Trends* 102, pp 13–23.

Lancucki, L. and Ruddock, V. (2001). '[The calculation of abortion rates for England and Wales](#)'. *Health Statistics Quarterly* 10, pp 25–32.

Wood, R. (1996). 'Subnational variations in conceptions'. *Population Trends* 84, pp 21–27.

Wood, R. Botting, B. and Dunnell, K. (1997). '[Trends in conceptions before and after the 1995 pill scare](#)'. *Population Trends* 89, pp 5–12.

References

Abortion Review (2012), [Statistics Briefing: Number of Abortions](#)

Bankier M, Poirier P and Lachance M, 2001, [Efficient methodology within the Canadian Census Edit and Imputation System \(CANCEIS\)](#), Annual Meeting of the American Statistical Association.

Centre for Maternal and Child Enquiries (CMACE) 2004. [Why Mothers Die 2000-2002](#), British Journal of Obstetrics and Gynaecology

CMACE 2011. [Saving Mothers' Lives 2006-2008](#), British Journal of Obstetrics and Gynaecology, 118 (Suppl. 1), 1-203

Steel D, 1990, [Amendment of law relating to termination of pregnancy](#), House of Commons Hansard. 24 April 1990: col 202

Glossary

Abortion

The legal termination of a pregnancy under the 1967 Abortion Act.

Canadian Census Edit and Imputation System (CANCEIS)

A donor-based imputation system, developed by Statistics Canada, used to impute missing values for Population (Statistics) Act data items for birth records since 2004.

Civil Partnership

Civil partnerships are a legal confirmation of a relationship between two people of the same sex.

Code of Practice for Official Statistics

The principles and protocols followed and upheld by all those involved in producing National Statistics.

Conception

ONS uses the definition - a pregnancy of a woman which leads either to a maternity or an abortion.

Dissolution

A dissolution is a legal end to a civil partnership obtained through the courts.

General Register Office (GRO)

The GRO (part of the Identity and Passport Service since 1 April 2008) is responsible for ensuring the registration of all births, deaths, marriages and civil partnerships that have occurred in England and Wales and for maintaining a central archive.

Gestation Period

The duration of pregnancy from conception.

Health Statistics Quarterly

A discontinued quarterly National Statistics publication that covered mortality and health information, it included articles and reports on conceptions.

Informant

The person(s), normally one or both parents, who provide the registrar with the information required at the registration of a birth.

Joint Registration

A birth outside marriage registered by both the mother and father of the child. Both parents' details are recorded and both must be present at the registration.

Live Birth

A baby showing signs of life at birth.

Maternity

A pregnancy resulting in the birth of one or more live-born or stillborn children. The number of maternities represents the number of women giving birth rather than the number of babies born (live-born and stillborn).

Notification

A document completed by the doctor or midwife present at the birth. The notification provides certain data items, such as the birthweight, to the birth record.

ONS

Office for National Statistics. Since 1 April 2008, ONS is the executive office of the UK Statistics Authority.

Population (Statistics) Act

These Acts makes provision for certain information to be collected at the registration of the birth for statistical use. This information is confidential and is not entered on the register.

Population Trends

A discontinued quarterly National Statistics publication that covered population and demographic information, it included articles and reports on births.

Registrar

Local authority employee responsible for the registration of births, deaths, marriages and civil partnerships.

Registrar General

Statutory appointment with responsibility for the administration of the registration acts in England and Wales and other related functions as specified by the relevant legislation.

Registration Officer

Generic term for registrar, superintendent registrar and additional registrars.

RON

Registration Online. A web-based system which enables registrars to record births, stillbirths, deaths and civil partnerships online.

RSS

Registration Service Software. System of collecting data electronically at the registration of a birth or a death. Used prior to the introduction of RON.

Singleton

Only birth born in a maternity.

Sole Registration

A birth outside of marriage registered only by the mother. No information on the father is recorded.

Stillbirth

A child that has issued forth from its mother after the 24th week of pregnancy, and that did not at any time after being completely expelled from its mother breathe or show any signs of life.

UK Statistics Authority

The UK Statistics Authority is an independent body operating at arm's length from government as a non-ministerial department, directly accountable to Parliament. It was established on 1 April 2008 by the Statistics and Registration Service Act 2007.

VSOB

Vital Statistics Outputs Branch (at ONS).